



2025-11-27

Time of Issue: 09:10:00 hours IST

(Morning)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

- Under the influence of well marked Low pressure area over southwest Bay of Bengal and adjoining areas of South Sri Lanka & Equatorial Indian Ocean, heavy to very heavy rainfall likely over Tamil Nadu during 27th November- 01st December with isolated extremely heavy falls on 29th & 30th November; isolated heavy to very heavy rainfall also likely over Coastal Andhra Pradesh & Yanam and Rayalaseema on 29th & 30th November, 2025.
- Under the influence of Cyclonic storm 'Senyar', isolated heavy to very heavy rainfall likely over Andaman & Nicobar Islands on 27th and isolated heavy rainfall on 28th & 29th November, 2025.
- Thunderstorm with lightning very likely over Tamil Nadu during 27th-30th, Kerala & Mahe on 27th, Coastal Andhra Pradesh & Yanam & Rayalaseema on 29th & 30th November and over Andaman & Nicobar Islands with gusty wind speeds reaching 40-50 kmph on 29th and 50-60 kmph on 27th & 28th November.

Forecast of minimum temperatures:

- No large change in minimum temperature likely over Northwest India for the next 24 hours then rise by 2°C for subsequent 3 days and thereafter fall by 2-3°C.
- No large change in minimum temperature likely over West India for the next 2 days and gradual fall in minimum temperature likely by 2-3° C thereafter.
- No large change in minimum temperature likely over East India for the next 24 hours and gradual rise in minimum temperature likely by 2-3^o C subsequent 3 days and no large change in minimum temperature thereafter.
- No large change in minimum temperature likely over Madhya Pradesh & Vidarbha for the next 24 hours and gradual fall in minimum temperature likely by 2-3° C thereafter. Gradual fall in minimum temperature likely by 2-3° C for the next 2 days and no large change in minimum temperature likely over Chhattisgarh.
- No significant change in the minimum temperature likely in north east India during next 5 days.

Wind Warning, Sea Condition, Fisherman Warning Wind Warning:

(a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand:

Squally weather with wind speed reaching 50-60 gusting to 70 kmph is very likely to prevail on 27th & 28th November. The winds speed would gradually decrease thereafter.

(b) Adjoining areas of North Andaman Sea

Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely to prevail on 27th & 28th November.

(c) Southeast Bay of Bengal:

Squally weather with wind speed reaching 45-55 gusting to 65 kmph is very likely on 27th & 28th November.

(d) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts

Squally weather with wind speed reaching 45-55 kmph gusting to 55 kmph likely to prevail from 27th morning and 55-65 gusting to 75 kmph during 28th to 30th November.

(e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast:





Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail on 27th November.

(f) Westcentral Bay of Bengal and along & off Andhra Pradesh coast:

Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to commence from 27th November. It is very likely to increase thereafter, becoming squally winds speed reaching 40-50 kmph gusting to 60 kmph during 28th – 30th November.

Sea Condition:

(a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand:

Rough to very rough sea conditions are very likely on 27th November. Sea condition would gradually improve thereafter.

(b) Adjoining areas of North Andaman Sea

Moderate to rough sea conditions are very likely on 27th & 28th November.

(c) Southeast Bay of Bengal:

Moderate to rough sea conditions are very likely on 27th & 28th November.

(d) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts

Moderate to rough sea conditions are very likely from 27th to 30th November.

(e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast:

Moderate to rough sea conditions are very likely on 27th November.

(f) Westcentral Bay of Bengal and along & off Andhra Pradesh coast:

Moderate to rough sea conditions are very likely from 27th November, becoming rough to very rough during 28th to 30th November.

Fishermen Warning:

Fishermen are advised not to venture into

- (a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand till 28th November.
- (b) Southeast Bay of Bengal on 27th & 28th November.
- (c) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts till 30th November
- (d) Adjoining areas of westcentral Bay of Bengal and along & off Andhra Pradesh coast from 27th to 30th November
- (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast on 27th November.

Those out at sea should avoid South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand till 28th, Southeast Bay of Bengal on 27th & 28th, southwest Bay of Bengal till 30th and westcentral Bay of Bengal during 27th to 30th November.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

Rainfall distribution (from 0830 hours IST to 1730 hours IST of yesterday): **at many places** over Tamilnadu Puducherry & Karaikal; **Dry** over rest of the country.

- ❖ Fog Condition Observed (at 0530 hours of today): Moderate fog conditions: at a few places over Punjab and South Interior Karnataka, at isolated places over Bihar Shallow fog conditions: at a few places over West Uttar Pradesh, at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Odisha, East Uttar Pradesh, Haryana Chandigarh & Delhi and West Madhya Pradesh.
- ❖ Visibility reported (at 0530 hours of today): Punjab: Amritsar (rajasansi) AP (dist Amritsar) 200.0; South Interior Karnataka: Bangaluru HAL (dist) 200.0; Bihar: Purnea (dist Purnia) 200.0; Assam & Meghalaya: Dhubri (dist Dhubri) 500.0; Odisha: Gopalpur (dist Ganjam) 500.0; West Madhya Pradesh: Gwalior (dist Gwalior) 500.0; Nagaland, Manipur, Mizoram & Tripura: Kailashahar AP (dist Unakoti) 500.0; Haryana Chandigarh & Delhi: New Delhi (Safdarjung) (dist South West Delhi) 500.0; West Uttar Pradesh: Bareilly (dist Bareilly) 500.0; East Uttar Pradesh: Varanasi (Babatpur) AP (dist Varanasi) 500.0;.
- ❖ Minimum Temperature Departures (as on 26-11-2025): below normal (-1.6°C to -3.0°C) at many places over Jharkhand. The lowest minimum temperature of 4.0°C was reported at Sikar (East Rajasthan) over the Plains of India.
- **♦ Maximum Temperature Departures (as on 26-11-2025): below normal (-1.6°C to -3.0°C)** at isolated places over East Rajasthan. **The highest maximum temperature** of 35.2°C is reported at KARWAR (KARNATAKA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Meteorological Analysis (Based on 0530 hours IST)


- The cyclonic storm *Senyar" [Pronunciation: 'Sen-yar'] over coastal areas of Northeast Indonesia and adjoining strait of Malacca moved east-southeastwards with a speed of 13 kmph in past 6 hours, weakened into deep depression and lay centered at 0530 hours IST of today, the 27th November 2025 near latitude 3.7°N and longitude 99.2°E over the Strait of Malacca, about 280 km east-southeast of Kuta Makmur (Indonesia), 230 km south-southwest of George Town (Malaysia), 790 km southeast of Nancowry (Nicobar Islands) and 930 km southeast of Car Nicobar (Nicobar Islands). It is very likely to move nearly eastwards and weaken further into a Depression by 27th afternoon/evening.
- The Well marked low-pressure area over southwest Bay of Bengal and adjoining areas of Southeast Sri Lanka & Equatorial Indian Ocean intensified into Depression over southwest Bay of Bengal and adjoining Sri Lanka coast at 2330 hours IST of yesterday, the 26th November, 2025. It moved north-northwestwards with a speed of 8 kmph during past 6 hours, intensified into a deep depression and lay centered at 0530 hrs IST of today, the 27th November 2025 over the same region near latitude 6.3°N and longitude 82.4°E, about 150 km east-northeast of Hambantota (Sri Lanka) and 190 km east-southeast of Batticaloa (Sri Lanka). It is very likely to continue to move nearly north-northwestwards across southwest Bay of Bengal & adjoining Sri Lanka and intensify further into a cyclonic storm during next 12 hours. Thereafter, it is very likely to continue to move north-northwestwards across southwest Bay of Bengal & adjoining Sri Lanka coast towards North Tamil Nadu, Puducherry and adjoining south Andhra Pradesh coast during subsequent 48 hours.
- ❖ The Western disturbance as a cyclonic circulation over south Afghanistan between 3.1 & 5.8 km above mean sea level persists.
- ❖ The upper air cyclonic circulation over Tripura & neighbourhood at 1.5 km above mean sea level persists.


Weather Outlook for subsequent 3 days

Fairly widespread to widespread rainfall activity likely over North Tamil Nadu, Coastal Andhra Pradesh, Kerala and Andaman & Nicobar Islands.

Isolated to Scattered rainfall activity over Coastal Karnataka and South Interior Karnataka.









27 November (Day 1)

- ❖ Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ❖ Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ❖ Cold wave conditions very likely at isolated places over Punjab.
- Fog very likely at isolated pockets over Haryana, Chandigarh & Delhi and Himachal Pradesh.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over south Bay of Bengal, along and off Tamil Nadu coast and over Andaman Sea.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka coast, over south and adjoining north Andaman Sea.
 - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over south Andaman Sea and adjoining, some parts of southeast Bay of Bengal.









28 November (Day 2)

- * Heavy to Very Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
- ❖ Fog very likely at isolated pockets over Haryana, Chandigarh & Delhi and Himachal Pradesh.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining southeast Bay of Bengal, some parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, many parts of southwest Bay of Bengal.









29 November (Day 3)

- ❖ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- * Heavy to Very Heavy Rainfall very likely at isolated places over Andhra Pradesh.
- * Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along
 and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining
 southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh
 coast.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over parts of southwest Bay of Bengal off north Sri Lanka coast.









30 November (Day 4)

- ❖ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- * Heavy to Very Heavy Rainfall likely at isolated places over Andhra Pradesh.
- **❖ Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over parts of southwest Bay of Bengal off north Tamil Nadu coast.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






1 December (Day 5)


* Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






2 December (Day 6)


No Warning

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





3 December (Day 7)

No Warning

No Fishermen Warning



Table-1

7 Days Rainfall Forecast

	r Days Raim							
S.No.	Subdivision	27- Nov	28- Nov	29- Nov	30- Nov	1- Dec	2- Dec	3- Dec
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	SCT	SCT	SCT	SCT
2	ARUNACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
3	ASSAM & MEHGHALAYA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
4	N. M. M. & T.	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJRAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH	ISOL	SCT	FWS	WS	FWS	SCT	SCT
29	TELANGANA	DRY	DRY	ISOL	ISOL	DRY	DRY	DRY
30	RAYALASEEMA	ISOL	SCT	FWS	WS	FWS	SCT	SCT
31	TAMILNADU & PUDUCHERRY	ISOL	SCT	FWS	SCT	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
35	KERALA	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
36	LAKSHDWEEP	SCT	SCT	SCT	SCT	SCT	SCT	SCT
	The state of the s							

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0



Fig. 1: Maximum Temperatures Dated 2025-11-26




Fig. 3: Minimum Temperatures Dated 2025-11-26




Fig. 2: Departure of Maximum Temp. Dated 2025-11-26






Fig. 4: Departure of Minimum Temp. Dated 2025-11-26









Impact & Action Suggested due to

- Heavy to very heavy rainfall likely over Tamil Nadu during 27th November- 01st December with isolated extremely heavy falls on 29th & 30th November; isolated heavy to very heavy rainfall also likely over Coastal Andhra Pradesh & Yanam and Rayalaseema on 29th & 30th November, 2025.
- Heavy to very heavy rainfall likely over Andaman & Nicobar Islands on 27th and isolated heavy rainfall on 28th & 29th November, 2025.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- · Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- · Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy Rainfall

- In **Sub Himalayan West Bengal**, drainout excess water from rice, ginger, vegetables and fruit orchards.
- In **Andaman and Nicobar Islands**, drain out excess water from the fields of rice, vegetable and plantation crops.
- In **Bihar**, keep the harvested produce of rice and maize crops at safer places and drain out excess water from crop fields.
- In **Gujarat**,keep the harvested produce of rice, groundnut, soybean, black gram, green gram, sesame, maize, pearl mllet and vegetables (tomato, brinjal, chilli, okra, cucurbits etc.) in safe places. Ensure proper drainage to drain out excess water from standing crop fields.
- In **Konkan**, keep the harvested produce of rice and finger millet in safer places. Make arrangements to drain out excess water from rice, finger millet, groundnut and turmeric fields. In **Madhya Maharashtra**, store the harvested produce of rice, soybean, maize, groundnut and pearl millet in safe places.
- In **Arunachal Pradesh**, drain out excess water from the fields of rice, field pea and banana orchards.

Livestock / Fishery

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.

Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds





Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.

Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.

East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.


Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.

West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.

South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ACTION

Probability of Occurrence (%) Terms Unlikely < 25 Likely 25 - 50 Very Likely 50 - 75

Probabilistic Forecast

ALERT (BE PREPARED TO TAKE A
WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning







Hailstrom

Heat Wave











: Dust Raising Winds





Most Likely



> 75

Warm Night





Ground Frost





	159	EGENDS	
No.	WARNING	20.101200000000	listic Forecast
	WARNING (TAKE ACTION)	Terms Unlikely	Probability of Occurrence (% < 25
11	ALERT (BE PREPARED)	Likely	25 - 50
10	WATCH (BE UPDATED)	Very Likely	50 - 75
- / 0	NO WARNING (NO ACTION)	Most Likely	> 75
-/-	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*		
ain/ Snow	Extremely Heavy: > 204.4 mm/cm *		
	When maximum temperature of a s	station reaches >40°	C for plains and >30° C fo
	(a) Based on Departure from norm		o for plants and 200 of to
	Heat Wave: Maximum Temperature Dep		
Ĵ+	Severe Heat Wave: Maximum Temperat		al ≥6.5° C
Heat Wave	(b). Based on Actual maximum tem Heat Wave: When actual maximum tem		
	Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coas		
	When maximum temperature departure is temperature ≥37°C	s >4.5°C from normal. Hea	t Wave may be described provi
	When maximum temperature rema	aine 40°C	
j+	Warm Night: When minimum temperature	CONTRACTOR OF THE PARTY OF THE	°C.
/arm Night	Severe Warm Night: When minimum ter		NAME OF TAXABLE PARTY O
	2505) 52 (An //2 52 0.55	CONTRACTOR OF THE PROPERTY OF	Walter Company of Walter
	When minimum temperature of a (a). Based on departure	station ≤10°C for p	lains and ≤0°C for hilly re
	Cold Wave: Minimum Temperature Departure	arture from normal -4.5 °C	C to -6.4 °C.
Π_	Severe Cold Wave: Minimum Temperate	ure Departure from norma	I ≤ -6.5 °C
ñ-	(b) Based on actual Minimum Tem	perature (for Plains	only)
Cold Wave	Cold Wave : When Minimum Temperatu	The state of the s	
	Severe Cold Wave: When Minimum Ter	mperature is ≤ 2.0 °C	
	(c) For Coastal Stations When Minimum Temperature departure	ie < 4.5 °C 8 actual Mi	nimum Tamparatura is < 15 °C
0	When minimum temperature of a s Based on departure	station ≤10°C for plai	ns and ≤0°C for hilly region
			to -6.4 °C.
! -	Cold Day: Maximum Temperature Depa	rture from normal -4.5 °C	
Cold Day	Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperatu		≤ -6.5 °C
Cold Day	Severe Cold Day: Maximum Temperatu	re Departure from normal	
		re Departure from normal	
©	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres	
	Severe Cold Day; Maximum Temperatu Phenomenon of small droplets Moderate Fog: When the visibility between	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres	
©	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres	and the horizontal visib
Fog	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres	and the horizontal visib
©	Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres	and the horizontal visib
Fog	Phenomenon of small droplets Moderate Fog: When the visibility betw. Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	s suspended in air assen 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib
Fog ## nunderstorm Dust/Sand	Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	s suspended in air assen 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib
Fog ## understorm	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility > 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of	s suspended in air assen 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib
Fog ## nunderstorm Dust/Sand	Phenomenon of small droplets Moderate Fog: When the visibility betw. Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	s suspended in air assen 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib
Fog ## understorm Dust/Sand Storm	Phenomenon of small droplets Moderate Fog: When the visibility betwood the person of small droplets Moderate Fog: When the visibility betwood the person of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifestation (thunder) An ensemble of particles of dust of turbulent wind.	s suspended in air assen 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib
Fog ## nunderstorm Dust/Sand	Phenomenon of small droplets Moderate Fog: When the visibility betwo Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib tht (Lightning) and a sharp fted to great heights by a s
Fog ## understorm Dust/Sand Storm	Phenomenon of small droplets Moderate Fog: When the visibility betw. Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib tht (Lightning) and a sharp fted to great heights by a s
Fog ## understorm Dust/Sand Storm	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature <4°C (over Plains) A strong wind that rises sudden	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib tht (Lightning) and a sharp fted to great heights by a s
Fog ## understorm Dust/Sand Storm	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden Moderate: Wind speed 52-61 kmph	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig	and the horizontal visib tht (Lightning) and a sharp fted to great heights by a s
Fog Fog Storm Frost	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifisound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig r sand energetically light	and the horizontal visib tht (Lightning) and a sharp fted to great heights by a s
Fog Fog Storm Frost	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig r sand energetically life enly, lasts for atlea	and the horizontal visib tht (Lightning) and a sharp fted to great heights by a s
Fog Fog Wy understorm Dust/Sand Storm Storm Sy Frost Squall	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature <4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph to	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig r sand energetically life enly, lasts for atlea over specific area 32 kmph (22-33 knots) & Wamph (34-63 knots) & Wa	and the horizontal visib that (Lightning) and a sharp fited to great heights by a s set 1 minute. Vave height 2.5-6 metre we height 6-14 metre
Fog Fog Storm Frost	Phenomenon of small droplets Moderate Fog: When the visibility betwo Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature <4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig r sand energetically life enly, lasts for atlea over specific area 32 kmph (22-33 knots) & Wamph (34-63 knots) & Wa	and the horizontal visib that (Lightning) and a sharp fited to great heights by a s set 1 minute. Vave height 2.5-6 metre we height 6-14 metre
Fog Fog Wy understorm Dust/Sand Storm Storm Sy Frost Squall	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature <4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph to	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres rested by a flash of lig r sand energetically life enly, lasts for atlea over specific area 52 kmph (22-33 knots) & W mph (34-63 knots) & Wave height	and the horizontal visib that (Lightning) and a sharp fited to great heights by a s set 1 minute. Vave height 2.5-6 metre we height 6-14 metre
Fog Fog Understorm Dust/Sand Storm System Squall	Phenomenon of small droplets Moderate Fog: When the visibility betwn Dense Fog: when the visibility betwn Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manife sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (2 Cyclonic Storm: Wind speed 82-87 kmp Severe Cyclonic Storm: Wind speed 8	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres 0 metres fested by a flash of lig r sand energetically life enly, lasts for atlea over specific area 52 kmph (22-33 knots) & V mph (34-63 knots) & Wa e63 knots) & Wave height bh (34-47 knots) 8-117 kmph (48-63 knots) 8-117 kmph (48-63 knots)	and the horizontal visib what (Lightning) and a sharp fited to great heights by a s set 1 minute. Wave height 2.5-6 metre we height 6-14 metre >14 metre
Fog Fog Understorm Dust/Sand Storm System Squall	Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility 500 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (2000) Cyclonic Storm: Wind speed 62-87 kmph Cyclonic Storm: Wind speed 62-87 kmph	re Departure from normal s suspended in air a een 500-200 metres 50-200 metres o metres fested by a flash of lig r sand energetically life enly, lasts for atlea over specific area 62 kmph (22-33 knots) & Warneh (34-63 knots) & Wave height och (34-47 knots) 8-117 kmph (48-63 knots) eed 118-165 kmph (64 - 8	and the horizontal visib whit (Lightning) and a sharp fited to great heights by a s set 1 minute. Wave height 2.5-6 metre we height 6-14 metre >14 metre