



भारतीय कपास निगम लिमिटेड

The Cotton Corporation of India Limited

(भारत सरकार का उपक्रम / A Govt. of India Undertaking)

प्लॉट नंबर 27, चंद्रमौली बिल्डिंग, वीर सावरकर चौक, सम्राट नगर, शाहनूरवाडी रोड,

Plot No. 27, Chandramauli Building, VeerSawarkar Chowk, SamratNagar, Shahnoorwadi Road,

औरंगाबाद / AURANGABAD - 431005 (महाराष्ट्र / Maharashtra)

दूरभाष क्रं. / Tel. No. (0240) 2361451

फैक्स क्रं.(0240) 2361834

NO: CCI/AUG/G&P/2022-23/

Date:-02.08.2022

TENDER NOTICE

The Cotton Corporation of India Ltd, **Aurangabad** invites Sealed Tenders in Two Bid System (Technical Bid-I and Financial Bid-II) from reputed Ginning & Pressing Factories for the Cotton Season 2022-23

Badnapur, Beed, Bhokardan, Bhusawal, Bodwad, Chalisgaon, Chopda, Dondaicha, Dharmabad, Erandol, Gangapur, Georai, Ghansawangi, Jalgaon, Jalna, Jamner, Jawalabazar, Jintur, Kuntur, Lasur, Mantha, Manvat, Nanded, Nandurbar, Naygaon, Pachod, Pachora (Bhadgaon), Pahur, Partur, Rajur, Selu, Shahada, Sahagarh, Shendurni, Shevgaon, Vaijapur, Wadwani,

TENDER SHOULD BE CONSIDERED UNDER THE JURISDICTION OF ABOVE APMC ONLY

Tenderer should ensure the holding of Provident Fund Code No./Fire certificate from the appropriate authority and should be registered under TSRS portal.

The prescribed tender forms along with the terms & conditions can be obtained from the Branch Office during working hours on any working day, on payment of Rs.112/- (Rupees One Hundred and Twelve only) including GST up to 01:00 PM on 22.08.2022 and the same is also available at CCI's website: <http://www.cotcorp.org.in> and Government portal <http://www.eprocure.gov.in> Downloaded tenders should be accompanied with Rs.112/- DD/Pay Order. The Ginning and Pressing factories which come under MSE and are registered with MSE authorities are exempted from tender fees on production of valid registration certificate.

Tenderer should submit the tender as under:

1. **Envelope A:** Envelope marked as "**Technical Bid**" which should contain all enclosures and EMD (Annexure-I).
2. **Envelope B:** Envelope marked as "**Financial Bid**" which should contain Financial Bid (Annexure-II)
3. **Envelope C:** It should contain both Envelope-A and Envelope-B.

Each envelope should be super scribed as "**Ginning & Pressing Tender for Cotton Season 2022-23**" and should contain the name and address of the tenderer at the bottom.

The Tender form duly completed in all respects addressed to the **Dy. GENERAL MANAGER, Aurangabad** should reach the Branch Office on or before 02:00 PM hours on 22.08.2022. The Technical Bid of sealed tenders received within the stipulated time, shall be opened on the same day at 03:00 PM hours in the presence of tenderers who may wish to remain present (.)& Financial Bid will be opened for successful technical bidders at 03:00 PM on 30.08.2022 in the presence of tenderers who may wish to remain present. Before engagement of ginning pressing factories survey will be made by the branch to ensure fulfillment of minimum requirement.

1. Tenderers will have to deposit **Rs.50000/- (Rs. Fifty thousand only)** as **EMD** by way of DD/P.O drawn in favour of "THE COTTON CORPORATION OF INDIA LTD" payable of any Nationalized /Scheduled Bank. The firms which comes under MSE and are registered with MSE authorities are exempted from tender fees and EMD on production of valid MSE certificate along with Technical bid. No interest will be paid on EMD and EMD will be refunded after satisfactory completion of work. however security deposit of Rs 50000/- has to be deposit in branch office by successful bidders before signing of agreement.

The Corporation reserves the right to accept/reject any tender. In case of non acceptance of tender, the tenderer can seek information for the reason of non acceptance from the branch office of the corporation.

(Dy. GENERAL MANAGER)



संख्या: भाकनि/औबाद/जि.प्रे.निविदा/2022-23/

दिनांक:-02.08.2022

निविदा सूचना

भारतीय कपास निगम लिमिटेड, औरंगाबाद फसल वर्ष 2022-23 के लिए निम्नलिखित प्रस्तावित खरीद केन्द्रों पर जिनिंग एवं प्रेसिंग कार्य के लिये दो बोली प्रणाली (Technical Bid 1 एवं Financial Bid2) में प्रतिष्ठित जिनिंग एवं प्रेसिंग फैक्ट्रियों से मुहरबंद निविदाए आमंत्रित करता है:-

बदनापुर/बीड/भोकरदन/भुसावल/बोदवड/चालीसगांव/चोपडा/धर्माबाद/दोंडाईचा/एरंडोल/गंगापूर/गेवराई/घनसावंगी/जलगांव/जालना/जामनेर/जावलाबाजार/जिंतूर/कुंदूर/लासूर/मंठा/मानवत/नांदेड/नंदुरबार/नायगांव/पाचोडा/पाचोरा/पह्र/परतर/राजुर/सेलु/शाहदा/शाहगड/शेदुर्णी/शेवगांव/वैजापुर/वडवनी

उपरोक्त केन्द्र के कृषी उत्पन्न बाजार समिति के क्षेत्र के अन्तर्गत आनेवाले फैक्ट्रियों की ही निविदा स्वीकार की जायेगी।

निविदाकर्ता के पास उपयुक्त प्राधिकारी से प्राप्त वैध पी.एफ. कोड न./टी आर एस पोर्टलप्रमाण पत्र एवं अग्नि सुरक्षा प्रमाण पत्र होना अनिवार्य है। निर्धारित निविदा फार्म, नियम एवं शर्तों के साथ शाखा कार्यालय से किसी भी कार्य दिवस में कायालयीन समय में 112/- रु. (जीएसटी सहित) भुगतान कर दिनांक 22.08.2022 को दोपहर 01.00 बजे तक प्राप्त किया जा सकता है। निविदा संबंधी सूचना, निविदा फार्म, नियम वशर्तों की पूर्ण जानकारी हमारी वेबसाईट <http://www.cotcorp.org.in> एवं Government portal www.eprocure.gov.in पर उपलब्ध है। अगर वेबसाईट से निविदा फार्म लिया जाता है तो पूर्ण रूप से भरे हुये निविदा फार्म के साथ 112/- रु. का बैंक ड्राफ्ट भारतीय कपास निगम लिमिटेड, औरंगाबाद के नाम से संलग्न करना अनिवार्य होगा। जो जिनिंग प्रेसिंग एम.एस.ई फैक्ट्रियों एम.एस.ई तथा एम.एस.ई प्राधिकारी के अन्तर्गत के साथ पंजीकृत है, वे अधिकृत प्राधिकारी के वैध पंजीकरण प्रमाण पत्र प्रस्तुत करने पर निविदा शुल्क से मुक्त रहेगी।

निविदाकर्ता को निम्नानुसार निविदा प्रस्तुत करना चाहिये:-

1. लिफाफा 'अ' : लिफाफे के ऊपर "Technical Bid" लिखा जाना चाहिये, जिसमें "Technical Bid" रखी जानी चाहिये। अनुलग्नक-।

2. लिफाफा 'ब' : लिफाफे के ऊपर "Financial Bid" लिखा जाना चाहिये जिसमें "Financial Bid" रखी जानी चाहिये। अनुलग्नक-॥

3. लिफाफा 'स' : उपरोक्त दोनों लिफाफे 'अ' और 'ब' इस लिफाफे 'स' में रखे जाना चाहीये।

पूर्ण रूप से भरा हुआ फार्म सीलबंद लिफाफे में जिसके ऊपर जिनिंग-प्रेसिंग निविदा 2022-23 व केंद्र का नाम स्पष्ट रूप से अंकित कर उप महाप्रबंधक के नाम उपरोक्त दर्शाये गये पते पर दिनांक 22.08.2022 को दोपहर 02.00 बजे तक पहुंचना आवश्यक है। उपरोक्त निर्धारित समय पर प्राप्त निविदाए दिनांक 22.08.2022 को दोपहर 03.00 बजे उपस्थित निविदिकर्ताओं की उपस्थिती में संवर्पथम "Technical Bid" खोली जायेगी। जिन निविदाकर्ताओं की "Technical Bid" योग्य पाई जायेगी, उन्हीं निविदाकर्ताओं की "Financial Bid" दिनांक 30.08.2022 को दोपहर 03:00 को खोली जायेगी।

निविदाकर्ता को किसी भी राष्ट्रीयकृत बैंक का डीडी कॉटन कॉरपोरेशन ऑफ इंडिया लिमिटेड नाम से ईएमडी के रूप में 50000/- (केवल पचास हजार रुपये) जमा करना होगा। IMSE के अन्तर्गत फैक्ट्री पंजीकृत हैं तो तकनीकी बोली के साथ वैध MSE प्रमाण पत्र देकर निविदा राशि निशुल्क और ईएमडी भी निशुल्क होगी। कार्य सन्तोष जनक पूर्ण होने बाद ईएमडी वापस किया जायेगा जिस पर कोई ब्याज नहीं दिया जायेगा। तथापि, अनुबंध पर हस्ताक्षर करने से पहले सफल निविदादाताओं को 50000/- रुपये की जमानत राशि शाखा कार्यालय में जमा करनी होगी।

निगम किसी भी निविदा को स्वीकार/ अस्वीकार करने का अधिकार अपने पास सुरक्षित रखता है। निविदा अस्वीकार होने की दशा में निविदादाता अस्वीकार किये जाने के कारण की जानकारी शाखा कार्यालय से प्राप्त कर सकता है।

भा.क.नि.



CCI

भारतीय कपास निगम लिमिटेड

The Cotton Corporation of India Limited

(भारत सरकार का उपक्रम / A Govt. of India Undertaking)

प्लॉट नंबर 27, चंद्रमौली बिल्डिंग, वीर सावरकर चौक, सम्राट नगर, शाहनूरवाडी रोड,
Plot No. 27, Chandramauli Building, VeerSawarkar Chowk, SamratNagar
, Shahnoorwadi Road,

औरंगाबाद / AURANGABAD - 431005 (महाराष्ट्र / Maharashtra)

दूरभाष क्र. / Tel. No. (0240) 2361451

फैक्स क्र.(0240) 2361834

Tender Form No. : _____

Tender form fees : Rs.112/-

(One HundredTwelveRupees only)

Date of issue: _____

Last date of submission: 22.08.2022

02.00 P.M.

Date of opening of Tender: 22.08.2022

03.00 P.M.

(TO BE SUBMITTED ON LETTERHEAD OF G&P FACTORY)

(TECHNICAL BID)

Annexure - I

Tender for Job Work of Ginning & Pressing for Cotton Season 2022-23

(TECHNICAL BID)

PART-I

1. Name of the centre : _____
2. Full Name of the factory, Address with
Pin code, Telephone/Mobile/ Fax
Numbers
E Mail (If any) _____
3. Whether Factory is MSE or not :
(Please tick (✓) whichever is applicable
and if Yes, attach valid certificate) Yes No
4. If MSE is women entrepreneur Yes No
5. If MSE whether under SC/ST category:
(if Yes, Pls. attach concerned valid
certificate) Yes No
6. Whether Factory is registered under
Better Cotton Initiative (BCI or not :
(Please tick (✓) whichever is applicable
and if Yes, attach valid BCI certificate
Enclosed MandatoryMembership Details
etc.) Yes No
7. Constitution – Company / Partnership /
Sole Proprietary _____
8. Name of the Directors/partners and their
occupation. 1. _____
2. _____
3. _____
9. Name and address of the sister concern, if
any. _____
10. _____

TSRS Portal Registration No.

(G&P Factories not registered on TSRS shall not be eligible to participate in the tender.)

11. Name of Proprietor or Active Partner. _____

12. Name of Factory Manager/Other Responsible person, along with Tel. No. _____

13. P.F. Code No.

(Please attach certificate issued by Regional Provident Fund Commissioner) _____

14. PAN from Income Tax Department (Attach Copy) _____

15. GST registration Number (Attach GST registration Copy) _____

16. Star Rating of Ginning & Pressing Factory (if applicable please attach valid Certificate) (A) Please mention Star Rating Yes No

17. Whether factory has sufficient Managerial, Supervisory & Technical staff Yes No

18. Details of processing of bales during last three years 2019-2020 2020-21 2021-22

i) For CCI ----- ----- -----

ii) Own ----- ----- -----

iii) Other parties ----- ----- -----

19. Details of processing capacity of factory and to be offered to CCI

Type	Machines		Production of bales of allotted capacity		Exclusive/ Turn basis*
	Total	Offered to CCI	Per week	Per month	
Double Rollers					
Pressing					

If Turn basis then number of bales of CCI stock which will be processed per month

20. Details of Fire Accidents in the Factory for the Last three Years :

S.N.	P A R T I C U L A R S	YEAR 2019-20		YEAR 2020-21		YEAR 2021-22	
		NO.	LOSS	NO.	LOSS	NO.	LOSS
(i)	Fire Accidents in Open Compound						
(ii)	Fire Accidents in Gin. House						
(iii)	Fire Accidents in Press House						
(iv)	Fire Accidents in Godown/Baracks						

21. Details of heap platforms/sheds/barracks/palahouse/godowns available in factory and to be offered to CCI free of cost

	Availability		Allotment to CCI	
	No	Capacity	No	Capacity
Heap Platforms				
Sheds				
Barracks				
Pallahouse				
Godowns				

22. Classification of the factory as per Insurance tariff rules. _____

23. Whether Fire Safety Audit Certificate/Acknowledgement of the application obtained from the specified agency as notified by the Director of Fire services under the provisions of Maharashtra Fire Prevention and Life Safety measures Act. 2006 (Please enclosed the **LATEST** copy of the same alongwith the tender)

Please Note : Those tenders who have enclosed the acknowledgement of the application for Fire Safety Audit Certificate will have to submit the Fire Safety Audit Certificate before execution of agreement with the Corporation

24. EMD Details:50,000/-

Instrument No.(DD/P.O):_____

Name of Bank:_____

Amount:_____

Tender Fee :112/-

Instrument No.(DD/P.O):_____

Name of Bank:_____

Amount:_____

Seal &Signatureof Authorized Signatory_____

PART-II

MINIMUM STANDARDS REQUIRED FOR ENGAGEMENT OF G & P FACTORY

S.No	Item	Minimum Requirements	Availability in G&P Factory. (Please tick (✓) whichever is applicable).
1	Ginning Machines	12 DRs of normal size / 11 extra-long DRs/ 9 Jumbo DRs with Auto feeder/ 1 or 2 saw gins with equivalent processing capacity of 3-4 bales per hour.	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
2	Precleaner	Cleaner with capacity to suit the processing speed of the ginning machines.	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
3	Lint Cleaner	Cleaner with capacity to suit the processing speed of ginning machines.	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
4	Kapas Conveyor System	(i) Pneumatic conveyor with Stone Catcher for the first stage from heaps to Precleaner; (ii) Mechanical/ Pneumatic conveyor from Precleaner to individual gins. Central Platform system not permitted unless it exists already.	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
5	Lint Conveyor System	Mechanical / Pneumatic Conveyor (i) from Gins to Lint Cleaner; (ii) from Lint Cleaner to each Pala Hall and (iii) from each Pala Hall to a. Bale Press Hall in case of existing Conventional Bale Press b. Bale Press box through Lint slide & Pusher Mechanisms in case of modern Bale Press (direct feeding of cotton from Lint Cleaner to Press box permitted)	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
6	Bale Press	Single stage oil hydraulic, auto tramping Bale Press with Lint Slide and Pusher mechanism for direct feeding of lint into the press box. Conventional water hydraulic, two-stage presses without auto tramping facility will, however, be permitted if they already exist.	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>

7	Conveyor for Seed	Automatic Conveyor from gins to Seed Platform	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
8	Humidifier/ Moisturiser	In Gin Hall In case of Central Platform, 2 Benson fans or adequate number of nozzles. In Pala Halls 2 Benson fans in each Hall or adequate number of nozzles.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
9	Fire Fighting System	Overhead tank/ sump (capacity 65,000 liters), with a minimum of 6 hydrants strategically located, hose pipes with nozzles and a stand-by diesel pump besides an electric pump.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
10	Underground Wiring	All high tension and low tension wires/cables to be under-ground	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
11	Weigh Bridge	Capacity: 20 tons/ 5 tons depending on local needs (Not required if the facility is available nearby)	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
12	Pucca Platform for Kapaswith shed	Raised platform with a minimum of 5,000 sq. ft. area.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
13	Covered Storage Space for Lint (Pala Halls)	Hall(s) with a minimum area of 2000 sq. ft., pucca floor.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
14	Seed Platform with shed	Raised, platform of minimum 1000 sq. ft. area.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
15	Bale Storage Space	Platform with cemented floor adjoining Press Hall and admeasuring a minimum area of 600 sq. ft.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>
16	Road	CC Road with at least 10 ft. width.	Available <input type="checkbox"/>	Not- Available <input type="checkbox"/>

17	Boundary Wall/ Fence	Wires mesh fence or barbed wire fence with less than 1 ft. gap between wires, or masonry wall, all of a minimum height of 6 ft.	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
18	CCTV cameras in G & P Factory at given locations with 30 days back up facility *	Location of CCTV Camera in G & P Factory:- <ol style="list-style-type: none">1. Factory Weighbridge2. Path from Weigh bridge to Factory entry gate.3. Entry Gate.4. Kapas Platform.5. Gin Hall.6. Press Hall7. Exit gate.8. Cotton seed platform	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>
		*If CCTV is not available at the time of tender the G & P unit will have to ensure that the requirement is fulfilled before engagement of the factory.	
19	TSRS PORTAL	Registration Detail of TSRS Portal (Textile Statistical Returns System)	Available <input type="checkbox"/> Not- Available <input type="checkbox"/>

Seal &Signature of Authorized Signatory _____

PART-III

1. All work commencing from unloading of kapas for processing in the factory to loading of F.P bales for dispatching to CCI hired Godowns including sample cutting i.e. 2 samples to be drawn from each lot of 100 bales. The details of the work to be carried out in the factory is as under:

For Ginning

Providing of required number of labourers for all stages of work beginning from unloading of kapas its, carrying & heaping. Further, grading work is also included i.e., work of picking foreign material, Yellow/Black cowdy, other contaminants and Misc. and also Pala at the time of cutting of Kapas Bags /Boras, work for Bura/Kapas picking and cleaning of Gin Jump & Misc. work, work for sweeping & Picking of kapas in the factory and workers /Supervision of work in the factory. Providing of required number of labourers for further stages of work i.e. kapas heap to gin house, feeding on machines, bura picking from heap to gin house, platform cleaning, rool picking, cowdy and YP pickings on machine, lint picking from front and back side of machines, cotton seed cleaning and all other allied works of bora filling and its carrying/transportation up to pala house/press house in the same factory or another factory at the same centre or another centre. Cotton seed loading Arrangement (i.elabour arrangement) by factory management and labour charges to be paid by cotton seed buyer. Any other allied works in factory premises shall be born by factory only.

For Pressing

Providing of required number of labourers for mixing as well as cleaning of lint before feeding in the opener and pressing of bales with standard weight of 170 kg net lint with tolerance limit of +/- 5 kgs for all months except during March to June when the tolerance shall be of +/- 7 Kgs. ,fully covered with new iron hoops(18/19 gauge, 1/2" width) / polyester strappings (width 19.05 mm, thickness 1.27 mm , conforming to type II of IS 15559:2004, colour green as per BIS standard with ISmarka clearly visible in the polyester strips at maximum interval of 30 inches.Specification for GI wire with BIS No:- IS 280:2006, Material:- Galvanized High strength steel Wire (G.I),Surface:- Galvanized (Hot-dip or eletro Galvanized),Diameter:- 2.10mm/2.30mm, Bale ties length:-73 Inches,Tensile:-170-175 Kg/Sqmm) with ISmarka clearly visible in the GI Wire at maximum interval of 30 inches to be arranged by the factory and with 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per Sq.Metres) to be arranged by the Ginning and Pressing Factory, with stitching and covering of bales from all sides including top and bottom and its by a cotton thread/twin evenly spaced and properly made. The distance between two stitches shall not exceed 30 mm. The Gap between two patties should be uniform and there should be no bulging of bales at ends. Preference shall be given to factories using Galvanizedwire (G.I Wire) If necessary factory should use extra iron hoops/Plastic strips to avoid bulging of bales. Besides handling of lint stocks beginning from opening of lint boras/boundaries till stacking of bales after marka and weighment and all other allied work during the course of pressing of lint into bales including lint opener. Sample cutting (2 samples to be drawn from each lot of 100 bales) and loading of fully pressed bales for transportation to CCI hired Godowns.

If situation requires on need basis the following works has to be done.

Filling, Stacking, De-stacking, Weighment of Cowdy / Ginjump, Empty lint bora restichting, Re-heaping of kapas heap, Re-heaping of cotton seed heap, Turning over of Cotton bales, coverage of Kapas, seed, bales by tarpaulins.

I/We have gone through the detailed terms and conditions for hiring of G&P factories by the Corporation and agree to carry out the complete processing work as per standards and requirements of the Corporation.

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

भा.क.नि.



भारतीय कपास निगम लिमिटेड

The Cotton Corporation of India Limited

(भारत सरकार का उपक्रम / A Govt. of India Undertaking)

प्लॉट नंबर 27, चंद्रमौली बिल्डिंग, वीर सावरकर चौक, सम्राट नगर, शाहनूरवाडी रोड,

Plot No. 27, Chandramauli Building, Veer Savarkar Chowk,
Samrat Nagar, Shahnoorwadi Road,

औरंगाबाद / AURANGABAD - 431005 (महाराष्ट्र / Maharashtra)

दूरभाष क्र. / Tel. No. (0240) 2361451

फैक्स क्र.(0240) 2361834

Tender for Job Work of Ginning & Pressing for Cotton Season 2022-23

TERMS AND CONDITIONS

- i) The tender form duly filled in, in all respects and signed by the Authorized Signatory, should be submitted in a sealed cover super scribed as "Ginning and Pressing tender for cotton season 2022-23" within the stipulated time and date. Tender forms received after the stipulated time and date will not be considered.
- ii) Tenderers will have to deposit Rs.50000/- (Rs. Fifty thousand only) as EMD by way of DD/P.O drawn in favour of "THE COTTON CORPORATION OF INDIA LTD" payable of any Nationalized /Scheduled Bank. The firms which come under MSE and are registered with MSE authorities are exempted from tender fees and EMD on production of valid MSE certificate along with Technical bid; however security deposit of Rs 50000/- has to be deposit in branch office by successful bidders before signing of agreement. No interest will be paid on EMD and EMD will be refunded after satisfactory completion of work.
- iii) All columns in the tender form should be filled in clearly and legibly. Tender form found as incomplete in any respect, may be rejected at the discretion of the Corporation.
- iv) Mere submission of the tender form does not entitle any factory to be engaged by the Corporation.
- v) G&P factories having legal dispute continuing /pending with the Cotton Corporation of India Ltd as well due payable by the G&P Factories is not eligible to participate.
- vi) CCI will engage only those G&P Factories which undertake to place pheromone traps at kapas heap & seed Heap.
- vii) G&P Factories not registered on TSRS (Textile Statistical Returns System) portal developed by Office of the Textile Commissioner, shall not be eligible to participate in the tender.
- viii) L1 factory shall be considered for hiring provided it meets the minimum standards required as per the tender terms. When more processing facility is required at the centre then on need basis the L2/L3/L4 & so on factory could be engaged provided they agree at the rates of L1.G & P Rates being the same, the Corporation will consider hiring of ginning and pressing factories in the following order of preference:
 - (a) Modernized composite ginning & pressing factory and star rated by Textile Committee.
 - (b) Preference will be given to Modernized composite ginning & pressing factory registered under Better cotton Initiative (BCI) programme.
 - (c) Modernized composite ginning & pressing factory.
 - (d) Composite G&P factories in MSEs / Co-operative sector / other institutions.
 - (e) Composite G&P factories with track record of good performance.
 - (f) G&P factories willing to give their full capacity on exclusive basis to CCI.Above preference are subject to Ginning & Pressing factory having clear track record and no pending disputes with CCI.

Note: Online Modern Factories, Factories having power supply through express feeder and the Factories having diesel generator sets shall have added advantage.

Seal & Signature of Authorized Signatory

ix) The engaged G&P factory shall have to give minimum lint% and maximum trash % shortages as follows:-

S.No	Month	Minimum Lint%	Trash %	Max Shortages%
1	October -2022	32.30	2.50	3.25
2	November – 2022	32.65	2.50	3.25
3	December – 2022	33.15	2.50	3.00
4	January – 2023	33.65	2.50	2.75
5	February – 2023	34.15	2.50	2.50
6	March – 2023	34.50	2.50	2.25
7	April-2023	35.00	2.50	2.00

x) The corporation shall reserve the right to inspect the above parameters through its visiting officers and improvement if any, in this will have to be agreed by the G & P factory for further purchases and concerned heaps.

Note:

1. Above parameters are for kapas purchase up to 12% moisture content.
2. As regards lint%, Shortages and Trash% the parameters fixed for April will continue, If procurement go beyond April 2023 up to September 2023.
3. Trash % for modern G&P factories should be maximum 2.5 % in all months.

xi) The factory should also ensure that there are no yellow pickings, cut seeds / full seeds etc. in the bales processed by them. In case lint % is less and trash % is more than prescribed limits proportionate recovery will be made based on the padta of concern heap of CCI , from ginner's bills, security deposit/EMD. In case shortages are more than the budgeted limit recovery will be made based on the average kapas rate of the heap.

xii) The Moisture content in FP bales after processing should not exceed 8%. In case more than prescribed limits proportionate recovery will be made based on the Padta of concerned heap of CCI, as decided by the corporation, from ginner's bills, security deposit/EMD.

xiii) The tenderer will have to comply with any subsequent amendment of law/gazette notification given by GOVT of India.

xiv) In the event of Corporation finalizing to hire the ginning and pressing factory, the concerned factory will have to enter into an agreement with the Corporation in the prescribed form with acceptance of all its terms and conditions. The factory will also submit a copy of partnership deed/ memorandum of article/ memorandum of association as the case may be.

xv) The corporation will arrange to lift the fully pressed bales whenever a lot of 100 Bales is pressed within next 2 working days from the date of pressing from the factory.

xvi) The corporation will arrange to lift cotton seed of the concerned heap within 20 days from the last date processing of that heap. If seed buyers do not lift the seed sold to them or if seed is not sold by the corporation within 15 days, in such case the same seed will be weighted within another 5 days and will be taken in to CCI account. This weight will be final weight of cotton seed for that heap, for calculating shortage.

xvii) In case the L1 tenderer refuse to work at the rates quoted by him, such factories shall not be awarded any work for at least one year i.e. next cotton season.

xviii) All the pages of the Tender Form as well the Terms & Conditions should be signed by the factory owner.

xix) The factory should provide one computer with printer along with internet connection in the factory.

xx) **Pucca platform for kapas with shed & Seed platform with shed is required for engagement of G & P factory**

xxi) In case, Bidder has any query about the bidding conditions and/or bidding process - may seek comments from the Branch Office. Further in case, if any bid is rejected or a tender document is not issued to prospective Bidder - may seek the reasons for rejection from Branch Office.

Seal & Signature of Authorized Signatory _____

(TO BE SUBMITTED ON LETTERHEAD OF G&P FACTORY)

UNDERTAKING.

I/We hereby undertake to place sufficient No's of pheromone traps at kapas heaps & Seed heaps throughout the processing of CCI stocks.

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

DECLARATION

I/We hereby confirm that the above clauses have been read and noted and we agree to abide by all the above Terms and Conditions.

Signature

Name of the Authorized Signatory

Address of the factory with seal

Date:

REQUIRED ENCLOSURES MUST BE SELF ATTESTED

1. Xerox Copy of PAN No. from Income Tax Department.
2. Xerox Copy of P.F. Code No. (PF Certificate)
3. GST Registration No. (Please enclose certificate)
4. Xerox Copy of Fire Safety Audit Certificate NOC from District Fire & Emergency Officer, (if applicable as per state Govt. Act.)
5. Xerox Copy of Factory License
6. Xerox Copy of Star Rating Certificate from Textile Committee, (if applicable)
7. Bank Account No., Bank Branch Name, RTGS Code on Factory letter head.
8. Xerox Copy of MSE Certificate, if applicable.
9. Authority Letter, if applicable
10. Xerox Copy of memorandum of association/Article of association, if applicable
11. Xerox Copy of Partnership deed, if applicable
12. Xerox Copy of Lease deed, if applicable.
13. Xerox copy of Better cotton initiative certificates.
14. Registration Detail of TSRS Portal (Textile Statistical Returns System)
15. Undertaking (to be submitted on letterhead of Factory) having sufficient number of pheromone traps installed.



भारतीय कपास निगम लिमिटेड

The Cotton Corporation of India Limited

(भारत सरकार का उपक्रम /A Govt. of India Undertaking)

प्लॉट नंबर 27, चंद्रमौली बिल्डिंग, वीर सावरकर चौक, सम्राट नगर, शाहनूरवाडी रोड,

Plot No. 27, Chandramauli Building, Veer Sawarkar Chowk, Samrat Nagar, Shahnoorwadi Road,

औरंगाबाद / AURANGABAD - 431005 (महाराष्ट्र / Maharashtra)

दूरभाष क्र. / Tel. No. (0240) 2361451

फैक्स क्र. (0240) 2361834

(FINANCIAL BID)

(Annexure- III)

(TO BE SUBMITTED ON LETTERHEAD OF G&P FACTORY)

(Financial Bid)

S.No.	Part "A"	*Rates in Rs.(Per Bales)
	Particulars	
1	Combined ginning(roller)& pressing rates per bale with iron hoops including cost of cloth and with extra 'Khol' Cover	_____
2	Combined ginning(roller) & pressing rates per bale with Polyester strappings Including cost of cloth and with extra 'Khol' Cover	_____
3	Combined ginning(roller) & pressing rates per bale with GI Wire including cost of cloth and with extra 'Khol' Cover	_____
4	Repressing rates per bale with iron hoop including cost of cloth and with extra 'Khol' Cover	_____
5	Repressing rates per bale with Polyester strappings Including cost of cloth and with extra 'Khol' Cover	_____
6	Repressing rates per bale with GI wire Including cost of cloth and with extra 'Khol' Cover	_____

** Rates quoted should be for 12 gala press.(Per Bales)

The above quoted rates are inclusive of all work commencing from unloading of kapas for processing in the factory to loading of FP bales for dispatching to CCI hired godowns, including sample cutting (2 samples to be drawn from each lot of 100 bales). Detailed scope of work is as mentioned under point 1 of Part III of technical bid.

Note:

- Incentive of Rs. 2/- per bale for Modern factories with 4 to 5 Star Rating by Textile Committee
- Incentive of Rs. 1/- per bale for Modern factories with 2 to 3 Star Rating by Textile Committee
- The specifications for iron hoops (18/19 gauge, 1/2" width), polyester strappings (width 19.05 mm, thickness 1.27 mm, conforming to type II of IS 15559:2004, colour green) as per BIS standard with ISmarka clearly visible in the polyester strips at maximum interval of 30 inches. Specification for GI wire with BIS No:- IS 280:2006, Material:- Galvanized High strength steel Wire (G.I), Surface:- Galvanized (Hot-dip or electro Galvanized), Diameter:- 2.10mm/2.30mm, Bale ties length:-73 Inches, Tensile:-170-175 Kg/Sqmm) with ISmarka clearly visible in the GI Wire at maximum interval of 30 inches and specification of 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per SqMetres) should be considered while quoting above rates.
- Please strike out whichever is not applicable.
- The above rates are inclusive of all expenses, taxes and levies if any by Central / State Government and Local Authorities but exclusive of GST.
- TDS and surcharge as per Direct Tax / Indirect Tax authorities shall be deducted by the Corporation.

(TO BE SUBMITTED ON LETTERHEAD OF G&P FACTORY)

Part "B"

Particulars	Rate in Rs. Per Qunital
Labour charges for loading of cotton seed in G&P Factory Premises (to be paid directly by the cotton seed buyer to the G&P Factory).	

I/We have gone through the detailed terms and conditions for hiring of G&P factories by the Corporation and agree to carry out the complete processing work as per standards and requirements of the Corporation.

Signature
Name of the Authorized Signatory

Address of the factory with seal

Date:

भारतीय कपास निगम लिमिटेड

The Cotton Corporation of India Limited

(भारत सरकार का उपक्रम / A Govt. of India Undertaking)

प्लॉट नंबर 27, चंद्रमौली बिल्डिंग, वीर सावरकर चौक, सम्राट नगर, शाहनूरवाडी रोड

Plot No. 27, Chandramauli Building, Veer Sawarkar Chowk, Samrat Nagar,
Shahnoorwadi Road, औरंगाबाद AURANGABAD - 431005 (महाराष्ट्र /Maharashtra)

e-mail : aurangabad@cotcorp.com website: www.cotcorp.gov.in

CIN : U51490MH1970GOI014733

दूरभाष क्रमांक / Tel. No (0240) 2361451

फैक्स क्रमांक (0240) 2361834

**DEDUCTIONS FOR NON -AVAILABILITY OF
FOLLOWING INFRASTRUCTURE**

ANNEXURE-“A”

SL. NO.	PARTICULARS	DEDUCTIONS PER BALE (IN RS.)
01	BOUNDARY WALL/ WIRE FENCING	20-00
02	PAKKA CEMENTED 1 Ft. RAISED HEAP PLAT FORM FOR MINIMUM 10 DAYS GINNING CAPACITY (up to 12 GINGS MIN 400 BLS CAPACITY FROM 13 TO 18 GINS 500 BLS CAPACITY FROM 18 & ABOVE 800 BLS CAPACITY)	30-00
03	COTTON SEED STORAGE 1 Ft. RAISED CEMENTED PAKKA PLAT FORM	20-00
04	PAKKA PLAT FORM FOR BOUNDARY /FP. BALES 100 EACH	20-00
05	PRESS LESS THAN 12 GALAS FOR 10 GALAS	70-00
06	KAPAS PLATFORM WITHOUT SHED	20-00
07	SEED PLATFORM WITHOUT SHED	20-00
08	TROLLYS TO CARRY LINT BORAS	10-00
09	COTTON SEED CONVEYOR WITH ELIVATOR SYSTEM	30-00
10	KAPAS CLEANER	30-00
11	LINT OPENER	50-00
12	BALE TOP & BOTTOM TO BE INSERTED IN PATTIES/IMPROPER PACKING OF BALES	50-00
13	WATER HYDRANTS SYSTEM FOR FIRE FIGHTING (Rs.30/-for Ginning and Rs.20/-for pressing)	50-00

WE AGREE WITH THE G&P RATES DECIDED ON TODAY SUBJECT TO ABOVE
DEDUCTIONS.

SIGNATURE OF THE AUTHORISED SIGNATORY
(WITH SEAL)

(To be given on the printed letter head of the factory)

To,
The Branch Manager,
The Cotton Corporation of India Ltd,

Subject : Authority letter for negotiation/finalization of Ginning &Pressing rates and capacity for cotton season 2022-23.

Sir,

We hereby authorize Shri **SPECIMEN** (Name), -----
----- (Designation) on behalf of our Factory M/s.-----
----- (name of the factory) for negotiation and finalization of Ginning & Pressing rates for cotton season 2022-23.

Further, we submit that we are a sole proprietary/partnership/limited company and we have full authority to authorize Shri ----- as our representative whose specimen signatures are given herein below.

(-----)
Specimen signature

We agree to all terms and conditions of the Tender.

Thanking you,

Yours faithfully,

(Signature of the authorized signatory)

Name & Designation-----

Name of the Factory-----

Seal of the Factory-----

Date-----

SPECIMEN
On Stamp Paper at the time of agreement

MODEL FORMATE FOR AGREEMENT FOR ENGAGING GINNING AND PRESSING FACTORY
FOR COTTON SEASON 2022-23

An Agreement made at **AURANGABAD** this _____ day of _____ (Year) between the Cotton Corporation of India Limited, a company registered under the Companies Act, 2013 having its Registered Office at Kapas Bhavan Plot No. 3A, Sector 10, CBD Belapur, Navi Mumbai-400614. (Herein after for brevity's sake called the "Corporation" which expression shall unless repugnant to the context or meaning thereof include its successors and assigns) OF THE FIRST PART AND _____ GINNING AND PRESSING FACTORY _____ (hereinafter for brevity's sake called "The Factory" which expression shall unless repugnant to the context or meaning thereof include its successors and assigns) being represented by its owner as well as by lessee/ licensee of the Factory, if any, of the SECOND PART.

WHEREAS the factory, known by the name of -----is owned/ is leased/ is licensed by----- (owner's name) to----- (Lessee/Licensee's name).

AND WHEREAS the factory has offered to do the work of ginning and pressing of kapas for the Corporation during the cotton season **2022-23** on Job Basis. AND WHEREAS the Corporation has accepted the offer on the terms and conditions contained herein.

NOW THIS DEED WITNESSED AND IT IS HEREBY MUTUALLY AGREED BETWEEN THE PARTIES HERETO AS FOLLOWS:

PART 'A': Allotment of capacity & processing of kapas

1. The factory undertakes to make available to the Corporation the under mentioned ginning and pressing capacity per month throughout the season depending on purchase of kapas and its delivery for ginning and pressing by the Corporation:-

Type	Machines		Production of bales of allotted capacity		Exclusive/ Turn basis*
	Total	Offered to CCI	Per week	Per month	(Days in a week)
Double Rollers					
Pressing					

*If Turn basis then number of bales of CCI stock which will be processed per month and shall be responsible for smooth processing without any interruption whatsoever. If the ginning and pressing capacity allotted to the Corporation by the factory is used

for its own ginning or for any other party, thus causing delay in the processing work of the Corporation, the Corporation shall be entitled to recover damages on account of loss caused by such delays including overhead expenses.

2. The factory shall provide to the Corporation heap platforms/sheds/barracks/pala house/godowns free of cost, as under:

	<u>Availability</u> <u>No.Capacity</u>		<u>Allotment to CCI</u> <u>No.Capacity</u>
Heap Platforms-----	-----	-----	-----
Sheds -----	-----	-----	-----
Pallahouse -----	-----	-----	-----
Godowns -----	-----	-----	-----

The factory shall continue to provide the above for storing the kapas, cotton, cotton seed, lint, fully pressed bales etc., till all the goods belonging to the Corporation are removed by the Corporation.

3. The factory agrees to gin and press such quantity of kapas and cotton as will be delivered to the factory by the Corporation for ginning and/or pressing from time to time. Every consignment of kapas and/or cotton delivered by the Corporation to the factory for ginning and/or pressing will be ginned and/or pressed by the factory immediately after receipt.
4. **The engaged G&P factory shall have to give minimum lint% and maximum shortages as follows :**

S.No	Month	Minimum Lint%	Trash %	Max Shortages%
1	October -2022	32.30	2.50	3.25
2	November – 2022	32.65	2.50	3.25
3	December – 2022	33.15	2.50	3.00
4	January – 2023	33.65	2.50	2.75
5	February – 2023	34.15	2.50	2.50
6	March – 2023	34.50	2.50	2.25
7	April-2023	35.00	2.50	2.00

Note:

- As regards lint%, Shortages and Trash% the parameters fixed for April will continue, If procurement go beyond April 2023 up to September 2023.
- Moisture content in processed FP bales should not exceed 8%.
- Trash % for modern G&P factories should be maximum 2.5% in all months.
- Shortage will included cowdy kapas, gin jump or any other miscellaneous items.
- During Cotton Season 2022-23, CCI will supply FAQ variety of kapas to the G&P factories for processing as per the quality parameters prescribed in the MSP guidelines, a copy of which is attached in the tender document and ginners can inspect the FAQ norms at the time of acceptance of kapas at the factory

The corporation shall reserve the right to inspect the above parameters through its visiting officers and improvement if any, in this will have to be agreed by the G & P factory for further purchases and concerned heaps.

5. In case minimum lint % is not achieved deduction will be made as per value of lint of reduced lint quantity based on padta of concerned heap of CCI.
6. In case maximum shortage are exceeded deductions will be made as per kapas rate of exceeded shortage quantity of the concerned heap of CCI.
7. In case maximum trash % is exceeded deductions will be made as per value of lint on exceeded trash quantity as per padta of concerned heap of CCI.
8. In case maximum moisture % increases deductions will be made as per value of lint of exceeded moisture % as per padta of concerned heap of CCI.
9. The factory should also ensure that there are no yellow pickings, cut seeds / full seeds etc. in the bales processed by them.
10. The Corporation will arrange to lift the fully pressed bales whenever a lot of 100 bales is pressed within next 2 working days from the date of pressing from the factory.
11. The Corporation Will Arrange to lift cotton seed of the concerned heap within 20 days from the last date of processing of that heap. If seed Buyers do not lift the seed sold to them or if seed is not sold by the corporation within 15 days, in such case the same seed will be weighed within another 5 days and will be taken in to CCI account. This weight will be final weight of cotton seed for that heap, for calculating shortage.
12. The factory shall provide and maintain the agreed ginning and pressing facilities in their factory premises so that the ginning and pressing work entrusted by the Corporation is not hampered and goes on continuously till the consignment of kapas and/or cotton delivered by the Corporation to the factory, is fully ginned and/or pressed.
13. The factory shall make proper arrangement for the safety of kapas, cotton, cottonseeds, lint pressed bales, etc. belonging to the Corporation in the factory premises and not allow mixing of the same with any other cotton belonging to any other persons. If any loss is caused to the Corporation on account of breach of this clause by the factory, the factory will be fully responsible and liable to make good the loss, if any, caused to the Corporation. The loss shall be determined by the Corporation and shall be acceptable to the factory.
14. The factory shall endeavor to minimize the shortages and contamination during the storage of kapas, cotton, cottonseed, lint, full pressed cotton bales and other by-products depending on variety of cotton.
15. The factory will provide adequate facilities for the processing of the Corporation's stock for ginning and pressing with required pre and post-ginning and pressing treatment in order to maintain the quality of the cotton bales of the Corporation, till the processing work of the Corporation is fully completed.
16. The factory will be responsible for the quality of ginning and pressing of kapas. In case the Corporation finds that the quality of ginning and pressing is defective, the factory will

beliable to make good the loss caused due to damage to the kapas, cotton, cotton-seeds, etc. belonging to the Corporation as ascertained by the Corporation.

17. In case of false packing by the Ginning and Pressing factory, losses on sale of such cotton bales will be recovered from the Ginning and Pressing factory.
18. In case of the ginning factories where only the work of ginning is done and lint has to be transported to a pressing factory in the same compound or station or a pressing factory in another compound at the same station, the factory shall bear all cost of transportation of lint from their ginning factory to the pressing factory. The Corporation shall not pay any charges, whatsoever, for the transportation of lint.
19. The factory will be responsible for effecting prompt repairs, replacements or modifications to the machinery, which may be pointed out to them by a representative of the Corporation. The Representative of the Corporation will be empowered to stop the work of Ginning and pressing carried out on behalf of the Corporation if he is of the opinion that it is necessary to do so in the interest of the Corporation and the factory will have to effect necessary repairs, replacement or modification without any loss of time, to the entire satisfaction of the representative of the Corporation.

In the event of any delay or refusal on the part of the management of the Factory in carrying out such repairs or modifications within the reasonable time, the factory will be liable for all loss that the Corporation may suffer on account of delay in carrying out the required work of Ginning and pressing.

20. The factory undertakes to carry out ginning and pressing work as per standard practices stipulated or followed by the Corporation from time to time as per Cotton Control Orders and other orders issued by the Government of India from time to time.

PART 'B': Pressing of cotton bales and its packaging

1. The net weight of a fully pressed bale should not be less than 170 kgs. However, tolerance limit of \pm 5 kg may be allowed for all the months except during March to June when the tolerance shall be of \pm 7 kg. subject to the condition that the average net weight of a lot of 100 bales should not be less than 165 quintals. Suitable deductions will be made from ginning & pressing charges if the average net weight of a lot is less than 165 quintals per lot of 100 bales. However, no extra payment will be made for excess weight in the lot. The weight list shall be issued for each completed lot recording weight of each bale in the order of serial number and the Factory shall be fully responsible for the correctness of the weight of cotton bales.

2. The pressed bales shall be covered from all the sides as per CCI specifications i.e. fully covered with new new iron hoops(18/19 gauge, 1/2" width) / polyester strappings (width 19.05 mm, thickness 1.27 mm , conforming to type II of IS 15559:2004, colour green as per BIS standard with IS marka clearly visible in the polyester strips at maximum interval of 30 inches. Specification for GI wire with BIS No:- IS 280:2006, Material:- Galvanized High strength steel Wire (G.I),Surface:- Galvanized (Hot-dip or electro Galvanized),Diameter:- 2.10mm/2.30mm, Bale ties length:-73 Inches,Tensile:-170-175 Kg/Sqmm) with IS marka clearly visible in the GI Wire at maximum interval of 30 inches to be arranged by the factory and with 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per Sq.Metres) to be arranged by the Ginning and Pressing Factory, with stitching and covering of bales from all sides including top and bottom and its by a cotton thread/twin evenly spaced and properly made..The distance between two stitches shall not exceed 30 mm. The Gap between two patties should be uniform and there should be no bulging of bales at ends. If necessary factory should use extra iron hoops/Plastic strips to avoid bulging of bales. Besides handling of lint stocks beginning from opening of lint boras/boundaries till stacking of bales after marka and weighment and all other allied work during the course of pressing of lint into bales including lint opener. Sample cutting (2 samples to be drawn from each lot of 100 bales) and loading of fully pressed bales for transportation to CCI hired Godowns. In case the packing material is found to be of sub-standard or inferior quality or is unsatisfactory, the factory shall make good the loss to the Corporation as determined by the Corporation.
3. In case of bales damaged due to dust, moisture, mud, sand etc. Repacking of such bales will be done by the ginners at his cost.
4. The factory shall not allow any bales of the Corporation to remain without marking and stamping of the Corporation after pressing. The marking of the bales should be done on one side of the bales by black and superior quality of ink so that it is durable and clearly visible. The ink used should be non-percolating. No other colour should be used. As per requirement of corporation, Factory shall affix canvas stickers on the bales in lieu of ink marka. Other than normal marking the factory has to mark each and every bale with "No child labour used" marka.
5. If cloth will be supplied by CCI and the quantity of cloth per bale would be maximum up to **3.70** meters for 12gallas and maximum up to 3.50 meters for less than 12 gallas whichever is less for the purpose of packing of CCI cotton bales, which will be inclusive of wastage and packing of two samples per lot. If any extra quantity of cloth is consumed by the factory, the factory shall make good the losses to the corporation as determined by the corporation.

Scope of Work:

All work commencing from unloading of kapas for processing in the factory to loading of F.P bales for dispatching to CCI hired Godowns including sample cutting i.e 2 samples to be drawn from each lot of 100 bales. The detail of the work to be carried out in the factory is as under:

For Ginning

Providing of required number of labourers for all stages of work beginning from unloading of kapas its, carrying & heaping. Further, grading work is also included i.e., work of picking foreign material, Yellow/Black cowdy, other contaminants and Misc. and also Pala at the time of cutting of Kapas Bags /Boras, work for Bura/Kapas picking and cleaning of Gin Jump &Misc. work, work for sweeping & Picking of kapas in the factory and workers /Supervision of work in the factory. Providing of required number of labourers for further stages of work i.e. kapas heap to gin house, feeding on machines, bura picking from heap to gin house, platform cleaning, rool picking, cowdy and YP pickings on machine, lint picking

from front and back side of machines, cotton seed cleaning and all other allied works of bora filling and its carrying/transportation up to pala house/press house in the same factory or another factory at the same centre or another centre. Cotton seed loading Arrangement (i.e.labour arrangement) by factory management and labour charges to be paid by cotton seed buyer. Any other allied works in factory premises shall be born by factory only.

For Pressing

Providing of required number of labourers for mixing as well as cleaning of lint before feeding in the opener and pressing of bales with standard weight of 170 kg net lint with tolerance limit of +/- 5 kgs for all months except during March to June when the tolerance shall be of +/- 7 Kgs. ,fully covered with new iron hoops(18/19 gauge, 1/2" width) / polyester strappings (width 19.05 mm, thickness 1.27 mm , conforming to type II of IS 15559:2004, colour green as per BIS standard with IS marka clearly visible in the polyester strips at maximum interval of 30 inches. Specification for GI wire with BIS No:- IS 280:2006, Material:- Galvanized High strength steel Wire (G.I),Surface:- Galvanized (Hot-dip or electro Galvanized),Diameter:- 2.10mm/2.30mm, Bale ties length:-73 Inches,Tensile:-170-175 Kg/Sqmm) with IS marka clearly visible in the GI Wire at maximum interval of 30 inches, to be arranged by the factory and with 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per Sq.Metres) to be arranged by the Ginning and Pressing Factory, with stitching and covering of bales from all sides including top and bottom and its by a cotton thread/twin) evenly spaced and properly made. The distance between two stitches shall not exceed 30 mm. The Gap between two patties should be uniform and there should be no bulging of bales at ends. If necessary factory should use extra iron hoops/Plastic strips to avoid bulging of bales. Besides handling of lint stocks beginning from opening of lint boras/boundaries till stacking of bales after marka and weighment and all other allied work during the course of pressing of lint into bales including lint opener. Sample cutting (2 samples to be drawn from each lot of 100 bales) and loading of fully pressed bales for transportation to CCI hired Godowns.

If situation requires on need basis, the following works has to be done.

Filling, Stacking, De-stacking, Weighment of Cowdy / Ginjump, Empty lint bora restiching, Re-heaping of kapas heap, Re-heaping of cotton seed heap, Turning over of Cotton bales, coverage of Kapas, seed, bales by tarpaulins.

PART 'C': Safety & Protection of stocks

1. The factory shall take all steps necessary to safeguard the goods of the Corporation in the factory against fire, theft and burglary. For this purpose, the factory shall check electrical appliances and electrical installations periodically and keep firefighting arrangements as required under the tariff, to reduce the insurance premium. If the factory has over-head electric wiring within its premises, it shall arrange at its own cost for underground electric wiring before the commencement of the work of ginning and pressing of the kapas and cotton delivered by the Corporation to the factory.
2. The factory will ensure that no goods belonging to the Corporation such as kapas, cotton, cotton seed, lint, full pressed cotton bales and other goods are allowed to go out of the premises of the ginning and pressing factory without a proper gate-pass duly signed by the Authorized Representative or employee of the Corporation coupled with a gate pass of the factory.

3. The factory will keep adequate staff at the gate of the factory premises for making entries in the register specially maintained for the purpose, of all daily inward and outward movement of kapas, cotton, cotton seed, lint, bardana, pressed bales and other goods. The Manager or any person Incharge of the factory shall cause such report of the said staff to be given to the representative of the Corporation during the course of the day. The representative of the Factory shall reconcile the entries, if any discrepancy is pointed out. The factory shall also give certificate of inward and outward movement separately for kapas, cotton, cottonseeds, lint, bardana, pressed bales and other goods on the basis of the inward and outward register. The factory shall also maintain daily stock register indicating number of bales pressed daily and closing stock. Factory agrees and undertakes to certify the stock of the Corporation jointly with the representatives of the Corporation and to furnish statement of stocks to the Corporation, as and when required.
4. The factory shall not object to the access of any officer of the Corporation from Head Office/Branch Office visiting the factory to the inward and outward register and the gate passes maintained by the person posted at the gate/Gate-keeper and shall handover the register and the gate passes, if required. The register and the gate passes would be returned after getting photocopies in the eventuality of investigation.
5. The factory shall make proper arrangements for protection of the goods of the Corporation against Fire, rains, theft, mixing, damage or any other risk by providing safety measures in the factory and also by arranging & covering CCI stock such as kapas heap, cottonseed, cotton bales with adequate number of tarpaulin. The factory shall be fully responsible and liable to make good any loss that the Corporation might suffer on account thereof.
6. The Factory agrees and undertake not to hypothecate, pledge or otherwise encumber or charge the kapas or cotton, whether ginned or unginne, pressed or not, cotton seed and other goods belonging to the Corporation lying in the premises of the factory and shall indemnify and keep indemnified the Corporation against any claim that may be made there to by any other party. The factory shall also not have any lien on the goods of the Corporation.
7. The factory shall under no circumstances, detain any stock of the Corporation or restrict the Corporation from removing its stock out of the factory premises even in case of any dispute.
8. The factory shall take all the safety measures in running the factory and maintain the machines and the factory buildings in accordance with the provisions of the Factories Act and rules made thereunder and any other laws including labour laws and child labour act in force. The factory shall be solely responsible for contravention or non-compliance with provisions of the said Act and the said Rules. Violation of any such rules will invoke penal action on the factory as per laws. The Corporation and/or any of its employee and/or its temporary, casual, skilled or unskilled labour shall not be responsible for any such

contravention as it is giving its stocks for processing on job basis only and in no way responsible for maintenance of equipments/machinery/factory.

9. The CCTV system installed in the Ginning & Pressing unit should have a minimum backup of 30 days and should be made available to the representative of the corporation regularly. Ginning & pressing factory should ensure that the CCTV system is working smoothly at all points of time

PART 'D': Ginning & Pressing rates and release of payment against bills

1. The ginning and pressing rates shall include all work commencing from unloading of kapas for processing in the factory to loading of bales for dispatching to godowns .Including sample cutting (2 samples to be drawn from each lot of 100 bales). (The detailed scope of work in respect of above is mentioned in Part B point 6 under scope of work).
2. For the described work of ginning and pressing including the inputs of labour and material as per Part D and scope of work mentioned in Part B, point 6. Corporation shall pay to the factory owner the ginning and pressing charges at the following rates:
- 3.

Part "A"		
S.No.	Particulars	*Rates in Rs.(Per Bales)
1	Combined ginning(roller)& pressing rates per bale with iron hoops including cost of cloth and with extra 'Khol' Cover	_____
2	Combined ginning(roller) & pressing rates per bale with Polyester strappings Including cost of cloth and with extra 'Khol' Cover	_____
3	Combined ginning(roller) & pressing rates per bale with GI Wire including cost of cloth and with extra 'Khol' Cover	_____
4	Repressing rates per bale with iron hoop including cost of cloth and with extra 'Khol' Cover	_____
5	Repressing rates per bale with Polyester strappings Including cost of cloth and with extra 'Khol' Cover	_____
6	Repressing rates per bale with GI wire Including cost of cloth and with extra 'Khol' Cover	_____

* Rates quoted should be for 12 gala press.(Per Bale)

The above quoted rates are inclusive of all work commencing from unloading of kapas for processing in the factory to loading of FP bales for dispatching to CCI hired godowns,including sample cutting (2 samples to be drawn from each lot of 100 bales). Detailed scope of work is as mentioned under point 1 of Part III of technical bid.

Note:

- The specifications for iron hoops (18/19 gauge, 1/2" width) , polyester strappings (width 19.05 mm, thickness 1.27 mm,conforming to type II of IS 15559:2004, colour green as per BIS standard with ISmarka clearly visible in the polyester strips at maximum interval of 30 inches. Specification for GI wire with BIS No:- IS 280:2006, Material:- Galvanized High strength steel Wire (G.I),Surface:- Galvanized (Hot-dip or electro Galvanized),Diameter:- 2.10mm/2.30mm, Bale ties length:-73 Inches,Tensile:-170-175 Kg/Sqmm) with ISmarka clearly visible in the polyester strips at maximum interval of 30 inches and specification of 100% cotton cloth (20X20 count, 48X40 R&P, 127 cm width, weight 122 gms per SqMetres) should be considered while quoting above rates.

- The above rates are inclusive of all expenses, taxes and levies if any by Central / State Government and Local Authorities but excluding GST.
- TDS and surcharge as per Income Tax Act shall be deducted by the Corporation.

Part "B"	
Particulars	Rate in Rs. Per Quintal
Labour charges for loading of cotton seed in G&P Factory Premises (to be paid directly by the cotton seed buyer to the G&P Factory).	

It is clearly understood between the parties that the above charges are inclusive of all expenses, taxes and levies, if any, by Central or State Government and local authorities except GST. The Ginning & Pressing Factories Act of 1925 has since been repealed. However, in case any Ginning & Pressing rates are fixed by State Government or any local body, under any Act, then the rate of C.C.I. or the rate fixed by such State Government/Local body, whichever is less, would be paid by C.C.I.

4. The factory will send its bills for Ginning and pressing charges to the Corporation, with a certificate once in a fortnight from the Corporation's representative that the standard of ginning and pressing is according to the prescribed standard. The Corporation shall, after due scrutiny of the bills, make 90% payment of those bills that are passed or accepted by the Corporation to the factory within a fortnight from the date of receipt of the bills by them, if found in order. 10% balance shall be paid after satisfactory completion of entire ginning and pressing work during the season. The Corporation shall release all payments by e payment (RTGS/NEFT etc.). Further, T.D.S. and surcharge as per Income Tax Act shall be deducted by the Corporation.
5. The Corporation shall have the right to recover any amount outstanding against the factory or any Proprietor or Partner of the factory under any other transaction with the Corporation, from the ginning and/or pressing bills of the factory against the Corporation under this agreement.

PART 'E': Miscellaneous

1. The Factory shall make its own adequate arrangements for the weighment of the Corporation's kapas, cotton, product and by-product and maintain adequate number of weighing scales duly certified by the Weights & Measures Department of Government. . The responsibility of weighment of seed, kapas and cotton bales rests with the factory and if any dispute arises with respect to weighment (kapas, seed, cotton bales) the factory owner will be held responsible for it. The weighment shall be made in presence of the representative of both the parties hereto. For any adverse weight difference between press weight and delivery weight of FP Bales, the factory is likely to be penalized.

2. The Ginning & Pressing factory should display loading charges of labour pertaining to cotton seed at the entrance in the factory which should be in conformity with the rates finalized in the tender which will be paid directly by the cotton seed buyer to the G&P Factory.
3. The staff and labour employed by the factory in connection with the running of the factory is governed by the Law, Rules and regulations relating to industrial relations, labour laws and child labour act in force. Violation of any such rules will invoke penal action on the factory as per laws. The Corporation and/or any of its employee and/or its temporary, casual, skilled or unskilled labour shall not be responsible for any such contravention. The Corporation shall also not be liable to such staff or for wages, compensation, and damages or in any other manner. The factory shall indemnify the Corporation from and against all risks, claims, demands, orders and judgments in this regard. Further the factory should ensure that they have been allotted Provident Fund Code Number and to this effect produce a certified copy of the letter issued by the Regional Provident Fund Commissioner allotting the code number to the factory.
4. CCTV system should be functional at all time and if any failure is noticed, alternative arrangements for recording should be done immediately.
5. In the event of delay in the Ginning or pressing work by the factory due to breakdown of machinery, the Corporation will have the right to remove the stock of the cotton or kapas to any other factory and the factory (i.e. the second party hereto) shall not have any right to object to the same. In such event, the factory will be liable to make good all consequential loss and damage including the transportation charges and insurance charges that may have to be incurred or suffered by the Corporation.
4. Wherever processing cycle and proforma expenses are increased due to the fault of G&P factory like technical problem, machinery breakdown, labour shortage, late turn etc. then in such cases, the Corporation shall be entitled to recover losses caused by such delays including overhead expenses from G&P factory.
5. This agreement does not bind the Corporation to offer the whole or any part of its ginning and pressing work to the factory. The Corporation may offer the work of processing to the factory at its own convenience on the basis of circumstances prevailing and the factory shall have no right to claim work from the Corporation.
6. The Corporation shall cover the fire risk of their stocks in the G&P Factory and in case of any fire incidence; the claim will be lodged on the concerned insurance company.
7. In case of fire in the stocks of the Corporation in the Ginning and Pressing factory, the bills will not be settled until fire claim is received from concerned Insurance Company.
8. The Corporation reserves the right to withdraw its ginning or pressing work or terminate this agreement without assigning any reason.
9. Since the Corporation shall be delivering its kapas and cotton for processing, cleaning, handling, segregating of variety, ginning, pressing, packing and baling as the job work to the

factory under this agreement, it shall be the responsibility of the factory to make all the necessary arrangements for that purpose and sincerely comply with all the clauses of this agreement. In case of failure or lack of attention on the part of the factory at any point, the factory shall make good the loss to the Corporation.

10. The factory should provide on computer with printer along with internet connection in the factory.
11. The tenderer will have to comply with any subsequent amendment of law / gazette notification given by Govt of India.
12. The factory is a company/partnership/proprietary/joint family concern. Copies of documents evidencing this fact are annexed hereto.
13. The ginning and pressing factory is held by the factory as the owner/a lessee/a licensee. A copy of documents by which this status was created is/are annexed hereto.
14. This agreement is being executed by Shri ----- on behalf of the factory on the strength of a power of attorney executed/a resolution passed on -----. A copy of the power of attorney/resolution is also annexed to this agreement.
15. In case of any dispute or difference arising out of or in relation to this agreement, the same will be referred to arbitration of an Arbitrator (other than an employee of the Corporation) to be appointed by the Branch Manager of the Corporation and whose decision shall be final and binding upon the parties hereto. The arbitration will be governed by the provisions of the Arbitration & Conciliation Act, 1996.
16. This Agreement shall be subject to Jurisdiction of Courts of **Aurangabad** only.

SIGNED SEALED AND DELIVERED FOR and on behalf of the within named:

THE COTTON CORPORATION OF INDIA LIMITED.,

Shri ----- Signature -----

duly authorised in that behalf in the presence of :

----- (THE FACTORY)

by Shri ----- (Owner)

Signature -----

By Shri ----- (Licensee/lessee)

Signature -----

duly authorised in that behalf in the presence of:

WITNESSES :

(1) Name : _____

Address : _____

(2) Name : _____

Address : _____

DECLARATION

1. Our P F Code registration No. is _____ (Photocopy enclosed).

2. Our Factory PAN No. is _____ (Photocopy enclosed).

3. Our Factory is registered with MSE

(If yes then photo copy enclosed)

YES	NO
------------	-----------

4. GST No (Please enclose Certificate) _____

5. Whether Fire Safety Audit Certificate / Acknowledgement of the application obtained from the specified agency as notified by the Director of Fire services under the provisions of Maharashtra Fire Prevention and Life Safety measures Act 2006.(Please enclose the LATEST copy of the same)

For _____