**2026-08-08**
**Time of Issue: 08:02:00 hours IST**
**(Morning)**

# ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

## Significant Weather Features

**Weather forecast and Warnings:**

**Northwest India:**

- **Isolated to Scattered** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 9th-10th August.
- **Isolated to Scattered** rainfall likely over rest parts of northwest India.
- **Fairly Widespread to Widespread** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 8th August and during 11th-13th August; Himachal Pradesh and Uttarakhand during 8th-13th August.
- **Fairly Widespread to Widespread** rainfall likely over Haryana Chandigarh & Delhi on 8th August; East Uttar Pradesh on 10th August; East Rajasthan during 8th-12th August.
- Isolated **thunderstorm & lightning** likely over Uttarakhand during 8th-13th August; West Rajasthan during 11th-13th August.
- Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 11th-13th August; Himachal Pradesh during 8th-9th August and during 12th-13th August; Uttarakhand during 8th-13th August; West Uttar Pradesh during 9th-11th August; East Uttar Pradesh and West Rajasthan during 8th-10th August; East Rajasthan during 9th-10th August and on 13th August with isolated **very heavy rainfall** also likely over Himachal Pradesh during 10th-11th August; East Rajasthan on 8th August and during 11th-12th August.

**Central India:**

- **Fairly Widespread to Widespread** rainfall likely over West Madhya Pradesh during 10th-12th August; East Madhya Pradesh and Vidarbha during 8th-11th August; Chhattisgarh on 8th August and during 12th-13th August.
- **Isolated to Scattered** rainfall likely over West Madhya Pradesh during 8th-9th August and on 13th August; East Madhya Pradesh and Vidarbha during 12th-13th August; Chhattisgarh during 9th-11th August.
- Isolated **heavy rainfall** likely over West Madhya Pradesh during 10th-11th August; East Madhya Pradesh on 8th August and during 10th-11th August; Chhattisgarh during 8th-11th August.

**East India:**

- **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands, Gangetic West Bengal, Odisha and Sub-Himalayan West Bengal & Sikkim during 8th-13th August; Jharkhand during 9th-10th August and on 13th August; Bihar during 8th-9th August.
- **Isolated to Scattered** rainfall likely over Jharkhand on 8th August and during 11th-12th August; Bihar during 10th-13th August.
- Isolated **heavy rainfall** likely over Sub-Himalayan West Bengal & Sikkim during 8th-10th August; Gangetic West Bengal during 8th-9th August and during 11th-13th August; Jharkhand during 8th-9th August; Bihar during 9th-10th August; Odisha on 9th August and on 13th August with isolated **very heavy rainfall** also likely over Gangetic West Bengal on 8th August; Odisha on 8th August.

**Northeast India:**

- **Isolated to Scattered** rainfall likely over Arunachal Pradesh during 8th-12th August; Assam & Meghalaya during 9th-11th August.
- **Fairly Widespread to Widespread** rainfall likely over Arunachal Pradesh on 13th August; Assam & Meghalaya on 8th August and during 12th-13th August; Nagaland, Manipur, Mizoram & Tripura during 8th-13th August.
- Isolated **thunderstorm & lightning** likely over Arunachal Pradesh on 8th August; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 8th-11th August.
- Isolated **heavy rainfall** likely over Arunachal Pradesh on 8th August and during 11th-13th August; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 8th-13th August.

**West India:**

- **Fairly Widespread to Widespread** rainfall likely over Konkan & Goa during 8th-13th August; Madhya Maharashtra on 8th August; Marathawada during 8th-9th August.
- **Isolated to Scattered** rainfall likely over Madhya Maharashtra during 9th-13th August; Marathawada during 10th-13th August; Gujarat Region and Saurashtra & Kutch during 8th-13th August.
- Isolated **thunderstorm & lightning** likely over Madhya Maharashtra during 8th-9th August; Gujarat Region and Marathawada during 8th-9th August.
- Isolated **heavy rainfall** likely over Konkan & Goa on 8th August.

**South Peninsular India:**

- **Isolated to Scattered** rainfall likely over Rayalaseema, Tamil Nadu, Puducherry & Karaikal and Telangana during 8th-13th August; Coastal Andhra Pradesh & Yanam, North Interior Karnataka and South Interior Karnataka during 8th-13th August.
- **Fairly Widespread to Widespread** rainfall likely over Coastal Karnataka, Kerala & Mahe and Lakshadweep during 8th-13th August; Coastal Andhra Pradesh & Yanam, North Interior Karnataka.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Kerala & Mahe, Lakshadweep, North Interior Karnataka and Tamil Nadu, Puducherry & Karaikal on 8th August; Coastal Andhra Pradesh & Yanam and Rayalaseema during 8th-11th August, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Coastal Karnataka, South Interior Karnataka and Telangana on 8th August.
- Isolated **heavy rainfall** likely over Coastal Andhra Pradesh & Yanam and Kerala & Mahe on 8th August; Coastal Karnataka and South Interior Karnataka on 8th August with isolated **very heavy rainfall** also likely over Coastal Karnataka.
- Strong Surface Winds likely over Coastal Karnataka, Kerala & Mahe, Lakshadweep, North Interior Karnataka, South Interior Karnataka and Telangana on 8th August; Coastal Andhra Pradesh & Yanam and Rayalaseema during 8th-11th August.

**Fishermen Warning:**

- **Arabian Sea:** Along and off Somalia coast till 12$^{th}$ August, over most parts of westcentral adjoining some parts of southwest during 08th to 10$^{th}$ August, some parts of westcentral, southwest and few parts of north and eastcentral Arabian Sea during 10$^{th}$ to 12$^{th}$ August, along and off Karnataka, Kerala coasts, Lakshadweep Area adjoining sea areas and few parts of Comorian areas during 08th to 09$^{th}$ August, along and off Oman coast during 08$^{th}$ to 10$^{th}$ August.
- **Bay of Bengal: Along and off West Bengal, Odisha and north Andhra Pradesh coasts during 08th to 09$^{th}$ August, Over Andaman Sea during 08$^{th}$ to 12$^{th}$ August, along and off south Sri Lanka Coast adjoining few parts of south Bay of Bengal during 08$^{th}$ to 09$^{th}$ August**

## Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST of yesterday to 0530 hours IST of today): **at most places** over Nagaland, Manipur, Mizoram & Tripura, Uttarakhand, Jammu & Kashmir and Ladakh, Himachal Pradesh, West Uttar Pradesh, Jharkhand, Gangetic West Bengal, Sub-himalayan West Bengal & Sikkim, Assam & Meghalaya, East Madhya Pradesh, Odisha, Andaman & Nicobar Islands, Konkan & Goa , Madhya Maharashtra , Chhattisgarh, Kerala & Mahe, Telangana and Lakshadweep ; **at many places** over Arunachal Pradesh, East Rajasthan, West Rajasthan, Punjab, West Madhya Pradesh, East Uttar Pradesh, Bihar, Haryana Chandigarh & Delhi, Vidarbha, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamilnadu Puducherry & Karaikal, Coastal Karnataka, North Interior Karnataka and South Interior Karnataka; **Dry** over rest of the country.

❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST of yesterday to 0530 hours IST of today): **Nagaland, Manipur, Mizoram & Tripura**: Dimapur (dist Dimapur) 11; Haryana Chandigarh & Delhi: New Delhi (safdarjung), New Delhi (palam) AP (dist South West Delhi) 10 Each; **Odisha**: Puri (dist Puri) 8.

❖ **Heavy Rainfall observed** (from 0830 hours IST of yesterday to 0530 hours IST of today):**Heavy rain** at a few places over Haryana Chandigarh & Delhi, at isolated places over Nagaland, Manipur, Mizoram & Tripura and Odisha

❖ **Minimum Temperature Departures (as on 07-08-2026): markedly above normal(> 5.1°C)** at few places over Assam & Meghalaya; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Bihar, West Uttar Pradesh, Himachal Pradesh, West Madhya Pradesh and Saurashtra & Kutch. **appreciably above normal(3.1°C to 5.0°C)** at few places over East Madhya Pradesh; at isolated places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Odisha, East Uttar Pradesh, West Uttar Pradesh, West Rajasthan, West Madhya Pradesh, Gujarat Region, Saurashtra & Kutch and Madhya Maharashtra. **above normal(1.6°C to 3.0°C)** at few places over Sub Himalayan West Bengal & Sikkim, Uttarakhand, Konkan & Goa, Vidarbha, Chhattisgarh and Coastal Andhra Pradesh & Yanam; at isolated places over Bihar, West Uttar Pradesh, Himachal Pradesh, West Rajasthan, East Rajasthan, West Madhya Pradesh, Saurashtra & Kutch, Madhya Maharashtra, Rayalaseema and Tamil Nadu, Puducherry & Karaikal. **near normal(-1.5°C to 1.5°C)** at many places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Odisha, Bihar, East Uttar Pradesh, West Uttar Pradesh, Haryana-Chandigarh-Delhi, Himachal Pradesh, West Rajasthan, West Madhya Pradesh, Saurashtra & Kutch, Konkan & Goa, Vidarbha, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and Kerala & Mahe; at most places over Andaman & Nicobar Islands, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Jharkhand, Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Gujarat Region, Madhya Maharashtra, Marathwada, Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka, North Interior Karnataka and South Interior Karnataka; at few places over Uttarakhand, East Madhya Pradesh, Chhattisgarh and Lakshadweep; at isolated places over East Rajasthan. **The lowest minimum temperature** of 18.4°C was reported at 21.0°C was reported at SIKAR (RAJASTHAN) over the Plains of India.

❖ **Maximum Temperature Departures (as on 07-08-2026): appreciably above normal(3.1°C to 5.0°C)** at most places over Arunachal Pradesh; at few places over Assam & Meghalaya; at isolated places over Nagaland, Manipur, Mizoram & Tripura and Odisha. **above normal(1.6°C to 3.0°C)** at many places over Konkan & Goa; at few places over Uttarakhand, Gujarat Region, Marathwada, Vidarbha, Coastal Andhra Pradesh & Yanam, Coastal Karnataka and North Interior Karnataka; at isolated places over Bihar, East Uttar Pradesh, West Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Saurashtra & Kutch, Madhya Maharashtra, Chhattisgarh, Telangana, Rayalaseema and Tamil Nadu, Puducherry & Karaikal. **near normal(-1.5°C to 1.5°C)** at many places over Jharkhand, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and Lakshadweep; at most places over Sub Himalayan West Bengal & Sikkim and South Interior Karnataka; at few places over Andaman & Nicobar Islands, Gangetic West Bengal, West Uttar Pradesh, Punjab, East Rajasthan and Kerala & Mahe; at isolated places over Haryana-Chandigarh-Delhi. **The highest maximum temperature** of 39.6°C was reported at BIKANER (RAJASTHAN).

## Meteorological Analysis (Based on 0530 hours IST)

- The **Low Pressure** area over southwest Uttar Pradesh & neighbourhood persisted. However, The associated cyclonic circulation extends upto 3.1 km above mean sea level.
- The **Monsoon trough** at mean sea level now passes through Anupgarh, centre of low pressure area over southwest Uttar Pradesh & neighbourhood, Satna, Daltonganj, Digha and thence southeastwards Eastcentral Bay of Bengal and extends upto 0.9 km above mean sea level.
- The upper **air cyclonic circulation** over south Gangetic West Bengal & adjoining Bangladesh extending upto 7.6 km above mean sea level tilting southwards with height persists. Under its influence, a **low pressure area** is likely to form over the coastal areas of Gangetic West Bengal & adjoining northwest Bay of Bengal during next 12 hours. It is very likely to move west-northwestwards along the monsoon trough across Gangetic West Bengal & adjoining North Odisha, Jharkhand and North Chhattisgarh during subsequent 48 hours.
- The upper **air cyclonic circulation** over Jharkhand & neighbourhoodat 1.5 km above mean sea level persists.
- The **Western Disturbance** as a trough in middle & upper tropospheric westerlies with its axis at 5.8 km above mean sea level roughly along Long. 73°E to the north of Lat. 29°N persists.
- The **upper air cyclonic circulation** over Northeast Assam & neighbourhoodat 1.5 km above mean sea level persists.




**8 August (Day 1)**

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over East Rajasthan and Odisha.

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Coastal Karnataka, East Madhya Pradesh, East Uttar Pradesh, Himachal Pradesh, Jharkhand, Kerala & Mahe, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, South Interior Karnataka, Uttarakhand, West Bengal & Sikkim and West Rajasthan.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andhra Pradesh, Kerala & Mahe, Lakshadweep, North Interior Karnataka and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Bihar, Chhattisgarh, Coastal Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Madhya Pradesh, Odisha, Rajasthan, South Interior Karnataka, Telangana and West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Gujarat Region, Madhya Maharashtra, Marathwada, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh, Karnataka, Kerala & Mahe, Lakshadweep and Telangana.

---

❖ Arabian Sea: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail along and off Somalia and north Gujarat coasts, over most parts of westcentral, some parts of southwest, northeast and few parts of eastcentral and northwest Arabian Sea.

❖ Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off Karnataka, Kerala coasts, Lakshadweep area adjoining sea areas and few parts of Comorin areas.

❖ Bay of Bengal: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail over south Sri Lanka Coast adjoining some parts of southern south Bay of Bengal.

❖ Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off West Bengal, Odisha and North Andhra Pradesh coasts and over Andaman Sea.




**9 August (Day 2)**

❖ **Heavy Rainfall** very likely at isolated places over Assam & Meghalaya, Bihar, Chhattisgarh, Himachal Pradesh, Jharkhand, Nagaland, Manipur, Mizoram and Tripura, Odisha, Rajasthan, Uttar Pradesh, Uttarakhand and West Bengal & Sikkim.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andhra Pradesh.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Bihar, Chhattisgarh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Madhya Pradesh, Odisha, Rajasthan and West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Gujarat Region, Madhya Maharashtra, Marathwada, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

---

❖ Arabian Sea: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail along and off Somalia and Oman coasts, over most parts of westcentral, some parts of southwest, and few parts of eastcentral and northwest Arabian Sea.

❖ Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off Karnataka, Kerala coasts, Lakshadweep area adjoining sea areas and few parts of Comorin areas

❖ Bay of Bengal: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail over south Sri Lanka Coast adjoining some parts of southwest Bay of Bengal.

❖ Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off West Bengal, Odisha and North Andhra Pradesh coasts and over Andaman Sea.




**10 August (Day 3)**

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Himachal Pradesh.

❖ **Heavy Rainfall** very likely at isolated places over Assam & Meghalaya, Bihar, Chhattisgarh, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh and Uttarakhand.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andhra Pradesh.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Bihar, Chhattisgarh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Madhya Pradesh, Odisha, Rajasthan and Sub Himalayan West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

---

❖ Arabian Sea: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail along and off Somalia and Oman coasts, over most parts of westcentral and southwest Arabian Sea.

❖ Bay of Bengal: Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail over Andaman Sea.




**11 August (Day 4)**

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over East Rajasthan and Himachal Pradesh.

❖ **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Uttarakhand and West Uttar Pradesh.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands, Bihar, Chhattisgarh, East Rajasthan, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Madhya Pradesh, Odisha and Sub Himalayan West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram and Tripura, Uttarakhand and West Rajasthan.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh.

---

❖ Arabian Sea: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail along and off Somalia coast adjoining some parts of westcentral and few parts of southwest, north and eastcentral Arabian Sea

❖ Bay of Bengal: Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail over Andaman Sea.




**12 August (Day 5)**

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over East Rajasthan.

❖ **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Gangetic West Bengal, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands, Bihar, East Rajasthan and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Uttarakhand and West Rajasthan.

---

❖ Arabian Sea: Squally wind with speed 45-55 kmph gusting to 65 kmph is likely to prevail along and off Somalia coast adjoining some parts of westcentral & southwest and few parts of north and eastcentral Arabian Sea

❖ Bay of Bengal:Squally Weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail over Andaman Sea.




**13 August (Day 6)**

❖ **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Rajasthan, Gangetic West Bengal, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Nagaland, Manipur, Mizoram and Tripura, Odisha and Uttarakhand.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands, Bihar, East Rajasthan and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Uttarakhand and West Rajasthan.

---

**No Fishermen Warning**




**14 August (Day 7)**

❖ **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Rajasthan, Gangetic West Bengal, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Nagaland, Manipur, Mizoram and Tripura, Odisha and Uttarakhand.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands, Bihar, East Rajasthan and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Uttarakhand and West Rajasthan.

---

**No Fishermen Warning**

## Flash Flood Warnings

**24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 09-08-2026 :**

**Low to Moderate flash flood** risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

**Odisha** - Baleshwar, Deogarh, Dhenkanal, Jajapur, Kendujhar, Mayurbhanj, Sambalpur and Sundargarh districts.
**Jharkhand** - Gumla, Khunti, Purbi Singhbhumi, Paschim Singbhumi, Saraikela and Simdega districts.

**Chhattisgarh** – Jashpur, Balrampur, Surguja and Surajpur districts..

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



# Table-1

## 7 Days Rainfall Forecast

| S.No. | Subdivision | 8- Aug | 9- Aug | 10- Aug | 11- Aug | 12- Aug | 13- Aug | 14- Aug |
|---|---|---|---|---|---|---|---|---|
| | | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 |
| 1 | ANDAMAN & NICOBAR ISLANDS | WS | WS | WS | FWS | FWS | FWS | FWS |
| 2 | ARUNACHAL PRADESH | ISOL | ISOL | ISOL | SCT | SCT | FWS | FWS |
| 3 | ASSAM & MEHGHALAYA | FWS | SCT | SCT | SCT | FWS | FWS | FWS |
| 4 | N. M. M. & T. | FWS | FWS | FWS | FWS | WS | WS | WS |
| 5 | S.H. WEST BENGAL & SIKKIM | WS | WS | FWS | FWS | FWS | FWS | FWS |
| 6 | GANGETIC WEST BENGAL | WS | FWS | FWS | FWS | WS | WS | WS |
| 7 | ODISHA | WS | FWS | FWS | FWS | FWS | FWS | FWS |
| 8 | JHARKHAND | SCT | FWS | FWS | SCT | SCT | FWS | FWS |
| 9 | BIHAR | FWS | FWS | SCT | SCT | ISOL | ISOL | ISOL |
| 10 | EAST UTTAR PRADESH | ISOL | SCT | FWS | SCT | ISOL | SCT | SCT |
| 11 | WEST UTTAR PRADESH | SCT | ISOL | SCT | SCT | ISOL | ISOL | ISOL |
| 12 | UTTARAKHAND | FWS | WS | WS | WS | FWS | FWS | FWS |
| 13 | HARYANA, CHD & DELHI | FWS | SCT | SCT | SCT | SCT | SCT | SCT |
| 14 | PUNJAB | SCT | SCT | SCT | SCT | SCT | SCT | SCT |
| 15 | HIMACHAL PRADESH | FWS | FWS | WS | WS | FWS | FWS | FWS |
| 16 | JAMMU AND KASHMIR AND LADAKH | FWS | SCT | SCT | FWS | WS | WS | WS |
| 17 | WEST RAJASTHAN | SCT | SCT | SCT | SCT | ISOL | ISOL | ISOL |
| 18 | EAST RAJASTHAN | FWS | FWS | FWS | FWS | FWS | SCT | SCT |
| 19 | WEST MADHYA PRADESH | SCT | SCT | FWS | FWS | FWS | SCT | SCT |
| 20 | EAST MADHYA PRADESH | FWS | FWS | FWS | FWS | SCT | SCT | SCT |
| 21 | GUJRAT REGION | SCT | SCT | SCT | SCT | SCT | SCT | SCT |
| 22 | SAURASHTRA & KUTCH | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 23 | KONKAN & GOA | WS | WS | WS | WS | WS | WS | WS |
| 24 | MADHYA MAHARASHTRA | FWS | SCT | SCT | SCT | SCT | SCT | SCT |
| 25 | MARATHWADA | FWS | FWS | ISOL | SCT | SCT | SCT | SCT |
| 26 | VIDARBHA | FWS | FWS | FWS | FWS | SCT | SCT | SCT |
| 27 | CHATTISGARH | FWS | SCT | SCT | SCT | FWS | FWS | FWS |
| 28 | COASTAL ANDHRA PRADESH | SCT | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 29 | TELANGANA | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 30 | RAYALASEEMA | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 31 | TAMILNADU & PUDUCHERRY | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 32 | COSTAL KARNATAKA | WS | WS | WS | WS | FWS | FWS | FWS |
| 33 | NORTH INTERIOR KARNATAKA | SCT | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 34 | SOUTH INTERIOR KARNATAKA | SCT | SCT | SCT | SCT | SCT | SCT | SCT |
| 35 | KERALA | WS | WS | FWS | FWS | FWS | FWS | FWS |
| 36 | LAKSHDWEEP | WS | FWS | FWS | FWS | FWS | FWS | FWS |

| Legend | Category | %Stations |
|---|---|---|
| WS | Widespread/Most Places | 76-100 |
| FWS | Fairly Widespread/Many Places | 51-75 |
| SCT | Scattered/ A Few Places | 26-50 |
| ISOL | Isolated Places | 1-25 |
| DRY | No Rain | 0 |

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-08-07




Fig. 2: Departure of Maximum Temp. Dated 2026-08-07




Fig. 3: Minimum Temperatures Dated 2026-08-07




Fig. 4: Departure of Minimum Temp. Dated 2026-08-07



## 24 Hr cumulative rainfall recorded over different stations during 0830 IST of 6-8-2026 to 0830 IST of 7-8-2026



## Agromet advisories for various parts of the country

### Agromet advisories for likely impact of Heavy Rainfall

- In **Arunachal Pradesh**, ensure proper drainage in rice, maize, soybean and finger millet fields, orchards and low-lying areas to prevent prolonged waterlogging. Secure vines firmly to bamboo stakes or trellises to prevent lodging.
- In **Assam**, keep field drainage channels clear and maintain proper drainage in rice nurseries, jute, sugarcane, soybean, pigeon pea, sesame and vegetable fields to prevent prolonged waterlogging.
- In **Meghalaya**, ensure proper drainage from rice nurseries and fields of maize, cowpea, okra and ginger to prevent prolonged waterlogging. Open drainage channels immediately and provide propping/support to banana and other heavily laden crops.
- In **Nagaland, Manipur, Mizoram and Tripura**, ensure proper drainage from soybean, black gram, ginger, turmeric, cole crop and vegetable fields to prevent residual waterlogging. Provide bamboo staking/support to banana and other vulnerable crops and avoid prolonged water stagnation in rice and groundnut fields.
- In **Uttarakhand**, maintain effective drainage in rice, sugarcane, black gram, green gram, soybean, maize, groundnut, sesame, barnyard millet, finger millet, tomato and chilli fields to prevent prolonged waterlogging. Harvest mature tomato, French bean and potato wherever field conditions permit.
- In **Himachal Pradesh**, carry out harvesting of pea pods and vegetables (tomato, capsicum, brinjal, etc.) wherever possible and keep harvested produce in a safe place. Maintain proper drainage in rice, maize, finger millet, tomato, brinjal, capsicum, chilli and cucumber fields and apple and pear orchards for quick removal of excess rainwater.
- In **Haryana,** ensure proper field drainage in standing crop fields to prevent waterlogging and promptly remove excess rainwater from crop fields and orchards.
- In **Uttar Pradesh**, maintain proper drainage to remove excess rainwater from pigeon pea, maize, groundnut, sesame, rice, vegetable and other standing crop fields, particularly from low-lying areas prone to waterlogging.
- In **Rajasthan**, make necessary arrangements for drainage from the fields of already sown pearl millet, green gram, sesame, moth bean, cluster bean, other standing crops and vegetables.
- In **Odisha**, maintain effective drainage in rice nurseries and fields of kharif crops such as maize, pulses (green gram, black gram, pigeon pea), oilseeds (groundnut, sesame), cotton, vegetables and fruit orchards to prevent waterlogging. Provide staking/support to banana, papaya, sugarcane, tomato and climbing vegetable.
- In **Jharkhand**, maintain proper drainage in paddy, finger millet, maize, tomato nursery and other standing crop fields to prevent waterlogging. Postpone intercultural operations and ensure excess rainwater is drained quickly from crop fields.
- In **Bihar**, make proper arrangements for drainage of excess rainwater from crop fields and postpone the application of fertilizers and pesticides.
- In **Andaman & Nicobar,** Harvest and store areca nut, coconut and spices in clean, dry and well-ventilated places to protect them from moisture. Maintain proper drainage in rice nurseries and transplanted fields; repair field bunds; Ensure proper drainage in turmeric, ginger and black pepper fields to prevent temporary waterlogging.
- In **West Bengal**, maintain proper drainage in rice nurseries and fields of rice, ginger, tomato, chilli, Dalley Khorsani, finger millet and fruit orchards to prevent waterlogging. Strengthen terrace bunds in transplanted rice fields.
- In **Madhya Pradesh**, ensure quick drainage of excess rainwater from crop fields by providing drainage channels at suitable intervals ensure proper drainage in all crop fields to avoid waterlogging.
- In **Chhattisgarh,** Maintain proper drainage in nurseries and low-lying fields to avoid temporary water stagnation
- In **Vidarbha**, postpone irrigation, intercultural operations and application of plant protection measures & fertilizers to the standing crops. Provide adequate drainage in standing crop fields to avoid waterlogging.
- In **Konkan**, ensure proper drainage in turmeric, groundnut, transplanted rice, finger millet, proso millet, vegetable fields and orchards. Remove excess rainwater from low-lying areas to prevent prolonged waterlogging.
- In *Ghat areas* of **Madhya Maharashtra**, drain out excess rainwater from rice nurseries and fields of rice, finger millet, maize, cotton, pigeon pea, groundnut, green gram and black gram to prevent waterlogging.
- In **Keralam**, drain out excess rainwater from plantations of banana, coconut, cardamom, ginger, black pepper and fields of turmeric and vegetables to prevent waterlogging. Provide strong support for banana plants and trellis-grown crops.

- In **Coastal and South Interior Karnataka**, keep field drainage channels clear and drain out excess rainwater from paddy, maize, millets, vegetables, arecanut plantations and fruit orchards to prevent prolonged waterlogging. Provide mechanical support to banana and tomato crops.
- In **Tamil Nadu**, ensure proper drainage in paddy, sugarcane, banana, coconut, black pepper, ginger, turmeric and vegetable fields to prevent waterlogging.
- In **Andhra Pradesh**, provide mechanical support to banana & papaya plantations and staking to young plants and vegetables.

**Agromet advisories for likely impact of Thunderstorm / Gusty Winds**

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

**Livestock / Poultry / Fisheries**

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

---

**Legends & abbreviations:**

**Heavy Rain:**64.5115.5mm; **Very Heavy Rain:**115.6204.4mm; **Extremely Heavy Rain:** >204.4mm.

**Obsy:** Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District: **NH:** National Highway; **KVK**: Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO**: Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.

**Region wise classification of meteorological Sub-Divisions:**

- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

# LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप




1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

## SPATIAL DISTRIBUTION (% of Stations reporting)

| % Stations | Category | % Stations | Category |
|---|---|---|---|
| 76-100 | Widespread (WS/Most Places) | 26-50 | Scattered (SCT/ A Few Places) |
| 51-75 | Fairly Widespred (FWS/ Many Places) | 1-25 | Isolated (ISOL) |

## Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

## Probabilistic Forecast

| Terms | Probability of Occurrence (%) |
|---|---|
| Unlikely | < 25 |
| Likely | 25 - 50 |
| Very Likely | 50 - 75 |
| Most Likely | > 75 |

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

# LEGENDS

## WARNING

| |
|---|
| WARNING (TAKE ACTION) |
| ALERT ( BE PREPARED) |
| WATCH (BE UPDATED) |
| NO WARNING ( NO ACTION) |

## Probabilistic Forecast

| Terms | Probability of Occurrence (%) |
|---|---|
| Unlikely | < 25 |
| Likely | 25 - 50 |
| Very Likely | 50 - 75 |
| Most Likely | > 75 |

### Rain/ Snow *

| |
|---|
| **Heavy:** 64.5 to 115.5 mm/cm * |
| **Very Heavy:** 115.6 to 204.4 mm/cm* |
| **Extremely Heavy:** > 204.4 mm/cm * |

### Heat Wave

**When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions**

**(a) Based on Departure from normal**

| |
|---|
| **Heat Wave:** Maximum Temperature Departure from normal 4.5° C to 6.4° C. |
| **Severe Heat Wave:** Maximum Temperature Departure from normal ≥6.5° C |

**(b). Based on Actual maximum temperature**

| |
|---|
| **Heat Wave:** When actual maximum temperature ≥45°C. |
| **Severe Heat Wave:** When actual maximum temperature ≥47°C |

**( c). Criteria for heat wave for coastal stations**

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

### Warm Night

**When maximum temperature remains 40°C**

| |
|---|
| **Warm Night:** When minimum temperature departure 4.5 °C to 6.4 °C. |
| **Severe Warm Night:** When minimum temperature departure >6.4 °C. |

### Cold Wave

**When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.**

**(a). Based on departure**

| |
|---|
| **Cold Wave:** Minimum Temperature Departure from normal -4.5 °C to -6.4 °C. |
| **Severe Cold Wave:** Minimum Temperature Departure from normal ≤ -6.5 °C |

**(b) Based on actual Minimum Temperature (for Plains only)**

| |
|---|
| **Cold Wave :** When Minimum Temperature is ≤ 4.0 °C |
| **Severe Cold Wave:** When Minimum Temperature is ≤ 2.0 °C |

**( c) For Coastal Stations**

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

### Cold Day

**When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions**

**Based on departure**

| |
|---|
| **Cold Day:** Maximum Temperature Departure from normal -4.5 °C to -6.4 °C. |
| **Severe Cold Day:** Maximum Temperature Departure from normal ≤ -6.5 °C |

### Fog

**Phenomenon of small droplets suspended in air and the horizontal visibility < 1km**

| |
|---|
| **Moderate Fog:** When the visibility between 500-200 metres |
| **Dense Fog:** when the visibility between 50- 200 metres |
| **Very Dense Fog:** when the visibility < 50 metres |

### Thunderstorm

**Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)**

### Dust/Sand Storm

**An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.**

### Frost

**Ice deposits on ground**

| |
|---|
| Air temperature ≤4°C ( over Plains) |

### Squall

**A strong wind that rises suddenly, lasts for atleast 1 minute.**

| |
|---|
| **Moderate**: Wind speed 52-61 kmph |
| **Severe**: Wind speed 62-87 kmph |
| **Very Severe**: Wind speed >87 kmph |

### Sea State

**Effect of various waves in the sea over specific area**

| |
|---|
| **Rough to very rough**: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre |
| **High to very high**: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre |
| **Phenomenal**: Wind speed >117 kmph (>63 knots) & Wave height >14 metre |

### Cyclone

| |
|---|
| **Cyclonic Storm**: Wind speed 62-87 kmph (34-47 knots) |
| **Severe Cyclonic Storm**: Wind speed 88-117 kmph (48-63 knots) |
| **Very Severe Cyclonic Storm**: Wind speed 118-165 kmph (64 - 89 knots) |
| **Extremely Severe Cyclonic Storm**: Wind speed 166-220 kmph (90 -119 knots) |
| **Super Cyclone Strom**: Wind speed >220 kmph (>119 knots) |