

Saturday, December 14, 2024
Time of Issue: 0820 hours IST
(MORNING)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features:

Weather Systems:

- ❖ An **upper air cyclonic circulation** lay over central parts of Andaman Sea and adjoining Gulf of Thailand and extends upto 3.1 km above mean sea level at 0530 hours IST of today 14th December, 2024. It is likely to become a **low pressure area** around 15th December and move west-northwestwards towards Tamil Nadu coasts during subsequent 48 hours.
- ❖ The **low pressure area** over Lakshadweep & adjoining Maldives area with the associated upper air cyclonic circulation extending upto 5.8 km above mean sea level persists. It is likely to move westwards and become less marked during next 24 hours.

Forecast & Warnings (upto 7 days):

- ❖ **Tamil Nadu: Heavy to very heavy rainfall** at isolated places on 17th December. Isolated **heavy rainfall** is also very likely on 16th & 18th December.
- ❖ **Kerala:** Isolated **heavy rainfall** is also very likely on 17th & 18th December.
- ❖ **Coastal Andhra Pradesh & Rayalaseema: Heavy rainfall** at isolated places very likely on 16th & 17th December.
- ❖ **Andaman & Nicobar Islands: Heavy rainfall** at isolated places very likely on 14th & 15th December.
- ❖ Light to moderate rainfall at isolated places accompanied with isolated thunderstorm & lightning very likely over Tamil Nadu, Puducherry on 14th, 16th & 17th and Coastal Andhra Pradesh & Yanam & Rayalaseema on 16th & 17th December.

Fisherman Warning: Fishermen are advised not to venture into along and off Comorin area, Tamil Nadu coast, Gulf of Mannar on 17th; Andaman Sea on 14th & 15th; Southeast Bay of Bengal on 15th & 16th; Southwest Bay of Bengal and Westcentral Bay of Bengal on 17th December.

ii. Temperature, Cold Wave and Fog Forecast:

Forecast of temperature:

- ❖ No significant change in minimum temperatures likely over Northwest & West India during next 2 days and rise by 2-3°C thereafter. (except Gujarat State)
- ❖ No significant change in minimum temperatures likely over Gujarat State, Central & East India during next 5 days.

Cold Wave Warnings:

- ❖ **Cold wave to severe cold wave** conditions very likely in some parts of Punjab on 14th and over isolated pockets on 15th December.
- ❖ **Cold wave** conditions very likely in isolated pockets over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 14th-16th, Haryana & Chandigarh, Uttar Pradesh, Madhya Pradesh and Chhattisgarh on 14th & 15th, Rajasthan, Gangetic West Bengal, Bihar and Jharkhand on 14th December.

Cold Day Warnings:

- ❖ **Cold Day** conditions very likely in isolated pockets over Madhya Pradesh on 14th December.

Dense Fog Warnings:

- ❖ **Dense fog conditions** very likely to prevail during late night/early morning hours in isolated pockets of Odisha till 15th, East Uttar Pradesh during 16th-18th, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura till 20th December morning hours.

Ground Frost Warnings:

- ❖ **Ground Frost** conditions very likely in isolated pockets over Punjab on 14th December.

Weather forecast (during 14th Dec. to 16th Dec. 2024) over Delhi/NCR

14.12.2024: Mainly clear sky. The predominant surface wind is likely to be from northwest direction with speed less than 08 kmph during morning hours. Smog/mist is likely in the morning. The wind speed will increase thereafter becoming less than 14 kmph from northwest direction during afternoon. It will decrease thereafter becoming less than 08 kmph from northwest direction during evening and night. Smog/mist is likely in the evening/night.

15.12.2024: Mainly clear sky. The predominant surface wind is likely to be from northwest direction with speed less than 06 kmph during morning hours. Smog/mist is likely in the morning. The wind speed will gradually increase becoming 10-12 kmph from northwest direction during afternoon. It will decrease thereafter becoming less than 06 kmph from northwest direction during evening and night. Smog/mist is likely in the evening/night.

16.12.2024: Mainly clear sky. The predominant surface wind is likely to be from variable direction with wind speed less than 04 kmph during morning hours. Smog/shallow fog is likely in the morning. The wind speed will increase thereafter becoming 06-08 kmph from northwest direction during afternoon. It will gradually decrease becoming less than 04 kmph from variable direction during evening and night. Smog/mist is likely in the evening/night.



Main Weather Observations:

- ❖ **Rainfall distribution** (from 0830 hours IST to 1730 hours IST of yesterday): **at many places** over Tamil Nadu, Puducherry & Karaikal; **at a few places** over Kerala & Mahe, Andaman & Nicobar Islands; **at isolated** places over Lakshadweep.
- ❖ **Fog Condition Observed** (at 0530 IST of today): **Shallow to moderate Fog** reported in isolated pocket of Bihar, Tripura, Manipur, Assam.
- ❖ **Visibility reported** (0530 hrs IST) (≤ 500 m) (in meter): **Bihar:** Purnea 200, Bhagalpur 500; **Tripura:** Agartala 200, Kailashahar 500; **Manipur:** Imphal 200; **Assam:** Dhubri, Jorhat 500 each.
- ❖ **Significant amount of rainfall** (from 0830 hours IST to 1730 hours IST of yesterday): (in cm): **Kerala & Mahe:** Pampadumpara (Idukki dist) 4, Periakulum, Ulanadu (Pathanamthitta dist), Thenmala (Kollam dist), Cheruthoni (Idukki dist.), Upper Perinjankutty (Idukki dist), Kovilkadavu (Idukki dist) 2 each; **Tamil Nadu, Puducherry & Karaikal:** Nagapattinam, Kodaikanal, Madhurai 3 each, Karaikal, Tiruchirappalli, Kudimiamalai, Thanjavur_IAF 2 each.
- ❖ **Minimum Temperatures Departures (as on 13-12-2024):** Minimum temperatures were **appreciably above normal (3.1°C to 5.0°C)** at isolated places over Coastal Andhra Pradesh & Yanam and Rayalaseema; **above normal (1.6°C to 3.1°C)** at many places over Tamil Nadu, Puducherry & Karaikal; at a few places over Kerala & Mahe; at isolated places over Karnataka and Madhya Maharashtra. These were **markedly below normal (-5.1°C or less)** at isolated places over West Bengal & Sikkim; **appreciably below normal (-3.1°C to -5.0°C)** at a few places over Madhya Pradesh and Uttar Pradesh; at isolated places over Himachal Pradesh and Assam & Meghalaya; **below normal (-1.6°C to -3.0°C)** at a few places over Vidarbha, Gujarat state; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Haryana-Chandigarh-Delhi, Bihar, Rajasthan, Sub-Himalayan West Bengal & Sikkim, Telangana and near normal over rest parts of the country. Yesterday, **the lowest minimum temperature** of -0.4°C was reported at **Adampur IAF (Punjab)** over the plains of the country. (Fig.4)
- ❖ **Maximum Temperature Departures (as on 13-12-2024):** Maximum temperatures were **above normal (1.6°C to 3.0°C)** at isolated places over Himachal Pradesh, Uttarakhand, Odisha, Telangana. These were **markedly below normal (-5.1°C or less)** at isolated places over Rajasthan, West Madhya Pradesh, Madhya Maharashtra, Kerala & Mahe, Tripura; **appreciably below normal (-3.1°C to -5.0°C)** at isolated places over Tamil Nadu, Puducherry & Karaikal; **below normal (-1.6°C to -3.0°C)** at most places Gujarat state; at many places over Gangetic West Bengal, South Interior Karnataka; at a few places over East Madhya Pradesh; at isolated places over Marathwada, Vidarbha, Haryana-Chandigarh-Delhi, Arunachal Pradesh, Rayalaseema and near normal over rest parts of the country. Yesterday, **the highest maximum temperature** of 34.8°C was reported at **Alibagh (Konkan & Goa)** over the plains of the country. (Fig. 2)

Meteorological Analysis (Based on 0530 hours IST)



- ❖ The **low pressure area** over Lakshadweep & adjoining Maldives area with the associated upper air cyclonic circulation extending upto 5.8 km above mean sea level persists. It is likely to move westwards and become less marked during next 24 hours.
- ❖ An **upper air cyclonic circulation** lay over central parts of Andaman Sea and adjoining Gulf of Thailand and extends upto 3.1 km above mean sea level at 0530 hours IST of today 14th December, 2024. It is likely to become a low pressure area around 15th December and move west-northwestwards towards Tamil Nadu coasts during subsequent 48 hours.
- ❖ The **cyclonic circulation** over central Assam at 1.5 km above mean sea level persists.
- ❖ **Subtropical westerly Jet Stream with core winds** of the order upto 160 knots at 12.6 km above mean sea level prevails over Northwest India.

Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 21st December, 2024)





14 December (Day 1):

- ❖ **Heavy rainfall (≥ 7 cm)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ **Thunderstorm accompanied with lightning** very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- ❖ **Dense fog** very likely in isolated pockets of Odisha, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- ❖ **Cold Wave to severe cold wave Conditions** very likely in some parts of Punjab; **Cold Wave Conditions** very likely in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Haryana, Uttar Pradesh, Rajasthan, Madhya Pradesh, Chhattisgarh, Gangetic West Bengal, Bihar, Jharkhand.
- ❖ **Cold Day Conditions** very likely in isolated pockets of Madhya Pradesh.
- ❖ **Ground Frost Conditions** very likely at isolated places over Punjab.
- ❖ **Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph** very likely to prevail over Andaman sea. Fishermen are advised not to venture into these areas.



15 December (Day 2):



- ❖ **Heavy rainfall (≥ 7 cm)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ **Dense fog** very likely in isolated pockets of Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- ❖ **Cold Wave Conditions** very likely in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Haryana-Chandigarh, Uttar Pradesh, Madhya Pradesh, Chhattisgarh.
- ❖ **Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph** likely to prevail over most parts of southeast Bay of Bengal and adjoining areas and Andaman sea. Fishermen are advised not to venture into these areas.



16 December (Day 3):



- ❖ **Heavy rainfall (≥ 7 cm)** likely at isolated places over Rayalaseema, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal.
- ❖ **Thunderstorm accompanied with lightning** very likely at isolated places over Rayalaseema, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal.
- ❖ **Dense fog** very likely in isolated pockets of East Uttar Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- ❖ **Cold Wave Conditions** likely in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over Central parts of south Bay of Bengal and adjoining central Bay of Bengal. Fishermen are advised not to venture into these areas.





17 December (Day 4):

- ❖ **Heavy to very heavy rainfall (≥ 12 cm)** likely at isolated places over Tamil Nadu, Puducherry & Karaikal; **Heavy rainfall (≥ 7 cm)** at isolated places over Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ **Thunderstorm accompanied with lightning** very likely at isolated places over Rayalaseema, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal.
- ❖ **Dense fog** very likely in isolated pockets of East Uttar Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- ❖ **Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph** is likely to prevail over Gulf of Mannar and adjoining Comorin area, southwest Bay of Bengal, adjoining westcentral Bay of Bengal, along and off Tamil Nadu coast. Fishermen are advised not to venture into these areas.



18 December (Day 5):



- ❖ **Heavy rainfall (≥ 7 cm)** likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ❖ **Dense fog** very likely in isolated pockets of Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.



19 December (Day 6):

Dense fog very likely in isolated pockets of Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)



20 December (Day 7):

- ❖ Dense fog very likely in isolated pockets of Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.

Weather Outlook for subsequent 3 days (During 21st December – 23rd December, 2024)

- ❖ Isolated to Scattered to light to moderate rainfall likely over some parts of south peninsular India and light rainfall over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- ❖ Mainly dry weather will prevail over rest parts of country.

- Action may be taken based on **ORANGE AND RED COLOUR** warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

Impact due to very heavy rainfall:

- **Isolated heavy to very heavy rainfall** very likely over Tamil Nadu, Puducherry & Karaikal on 17th December.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities and roadways due to water logging in roads leading to increased travel time. ✓ Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mud slips/land sinks/mud sinks.
- Damage to horticulture and standing crops in some areas due to inundation and wind.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

Action Suggested

- Judicious regulation of surface transports including railways and roadways.
- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Impact expected due to dense fog in the night /morning hour:

❖ Transport and Aviation:

- May affect some airports, highways and railway routes in the areas of met- sub-division.
- Difficult driving conditions with slower journey times.
- Unless taken precautionary measures, it may lead to some road traffic collisions.

❖ Power Sector:

- Chances of Tripping of Power lines in the very dense fog routes.

❖ Human Health:

- Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
- Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
- Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

Action suggested:

❖ Transport and Aviation:

- Be careful while driving or outing through any transport.
- Use fog lights during driving.
- Be in touch with airlines, railways and state transport for schedule of your journey.

❖ Power Sector:

- To keep ready Maintenance Team
- Human Health: To avoid outing until unless emergency and to cover the face.

Impact expected due to cold wave/severe cold wave conditions:

- ❖ An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- ❖ Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- ❖ Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite needs immediate medical attention and treatment.
- ❖ Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

Action suggested:

- ❖ Wear several layers of loose fitting, light weight; warm woolen clothing.
- ❖ Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm woolen clothing rather than one layer of heavy cloth.
- ❖ Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- ❖ Avoid or limit outdoor activities.
- ❖ Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- ❖ Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- ❖ If the affected skin area turns black, immediately consult a doctor.
- ❖ Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- ❖ Take safety measures while using electrical and gas heating devices.
- ❖ Extreme care needed for vulnerable people.
- ❖ Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- ❖ Protect livestock from cold weather.

Agromet advisories for Heavy Rainfall / Cold Wave likely over various parts of the country

- Drain out excess water from rice, sugarcane, cotton, turmeric, vegetables, and other standing crop fields, as well as coconut and banana orchards in **Tamil Nadu**; from rice, coffee, banana, coconut, arecanut, ginger, pepper, cardamom and other standing crops in **Kerala** and from rice nurseries, pigeon pea, green gram, black gram, sesame and other standing crop fields and vegetables in **South Coastal Andhra Pradesh** and **Royalaseema**.
- Provide adequate drainage facilities for removal of excess water from standing crop fields and fruit orchards in **Andaman & Nicobar Islands**.
- Keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields.
- Provide mechanical support to horticultural crops and staking to vegetables.
- In **Jammu & Kashmir, Punjab, Haryana, Uttar Pradesh, Rajasthan, Madhya Pradesh, Chhattisgarh, Gangetic West Bengal, Bihar** and **Jharkhand**, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature.

Livestock and Fishery

- Keep the animals inside the shed during heavy rainfall and provide balanced feed.
- Store the feed and fodder at safer place to avoid spoilage from rainfall.
- Check and disinfect poultry houses to prevent disease outbreaks due to dampness.
- Check the huts and other weaker structures before relocation of the animals.
- Remove excess water from fish ponds to avoid losses of fish (if feasible).
- To protect from cold, keep cattle inside the sheds during night and provide dry bedding. Also keep the chicks warm by providing artificial light in the poultry sheds.

Fig. 1: Maximum Temperatures

Fig. 2: Departure of Maximum Temperatures





Fig. 3: Minimum Temperatures

Fig. 4: Departure of Minimum Temperatures







Fig. 5: Accumulated Rainfall (mm) during past 24 hours



* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



COLOUR CODED WARNING

No Warning (No Action)
Watch (Be Aware)
Alert (Be Prepared To Take Action)
Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

DEFINITION/CRITERIA

Rain/ Snow *	<p>Heavy: 64.5 to 115.5 mm/cm *</p> <p>Very Heavy: 115.6 to 204.4 mm/cm*</p> <p>Extremely Heavy: > 204.4 mm/cm *</p>
Heat Wave	<p>When maximum temperature of a station reaches $\geq 40^{\circ}\text{C}$ for plains and $\geq 30^{\circ}\text{C}$ for hilly regions</p> <p>(a) Based on Departure from normal</p> <p>Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C.</p> <p>Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^{\circ}\text{C}$</p> <p>(b). Based on Actual maximum temperature</p> <p>Heat Wave: When actual maximum temperature $\geq 45^{\circ}\text{C}$.</p> <p>Severe Heat Wave: When actual maximum temperature $\geq 47^{\circ}\text{C}$</p> <p>(c). Criteria for heat wave for coastal stations</p> <p>When maximum temperature departure is $>4.5^{\circ}\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^{\circ}\text{C}$</p>
Warm Night	<p>When maximum temperature remains 40°C</p> <p>Warm Night: When minimum temperature departure 4.5°C to 6.4°C.</p> <p>Severe Warm Night: When minimum temperature departure $>6.4^{\circ}\text{C}$.</p>
Cold Wave	<p>When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions.</p> <p>(a). Based on departure</p> <p>Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C.</p> <p>Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$</p> <p>(b) Based on actual Minimum Temperature (for Plains only)</p> <p>Cold Wave : When Minimum Temperature is $\leq 4.0^{\circ}\text{C}$</p> <p>Severe Cold Wave: When Minimum Temperature is $\leq 2.0^{\circ}\text{C}$</p> <p>(c) For Coastal Stations</p> <p>When Minimum Temperature departure is $\leq -4.5^{\circ}\text{C}$ & actual Minimum Temperature is $\leq 15^{\circ}\text{C}$</p>
Cold Day	<p>When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions</p> <p>Based on departure</p> <p>Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C.</p> <p>Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$</p>
Fog	<p>Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$</p> <p>Moderate Fog: When the visibility between 500-200 metres</p> <p>Dense Fog: when the visibility between 50- 200 metres</p> <p>Very Dense Fog: when the visibility < 50 metres</p>
Thunderstorm	<p>Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)</p>
Dust/Sand Storm	<p>An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.</p>
Frost	<p>Ice deposits on ground</p> <p>Air temperature $\leq 4^{\circ}\text{C}$ (over Plains)</p>
Squall	<p>A strong wind that rises suddenly, lasts for atleast 1 minute.</p> <p>Moderate: Wind speed 52-61 kmph</p> <p>Severe: Wind speed 62-87 kmph</p> <p>Very Severe: Wind speed >87 kmph</p>
Sea State	<p>Effect of various waves in the sea over specific area</p> <p>Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre</p> <p>High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre</p> <p>Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre</p>
Cyclone	<p>Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)</p> <p>Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)</p> <p>Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)</p> <p>Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)</p> <p>Super Cyclone Strom: Wind speed >220 kmph (>119 knots)</p>